



TOWN OF APPLE VALLEY

CLIMATE ACTION PLAN

Prepared For

Town of Apple Valley
14955 Dale Evans Parkway
Apple Valley, CA 92307

Prepared By



Terra Nova Planning & Research, Inc.®
400 South Farrell, Suite B-205
Palm Springs, CA 92262

Adopted July 13, 2010

Table of Contents

I. EXECUTIVE SUMMARY	I-1
II. INTRODUCTION.....	II-1
A. The Evolution of Climate Change	II-1
B. The Impact of Climate Change	II-2
C. California Law	II-5
III. CURRENT EMISSIONS AND REDUCTION TARGETS	III-1
A. Introduction.....	III-1
B. Methodology	III-2
C. Community Emissions Inventory (Baseline 2005)	III-3
D. Municipal Emissions Inventory (Baseline 2005).....	III-8
E. Future Emissions Estimates, Business As Usual	III-12
1. Community Wide.....	III-13
2. Municipal Specific	III-15
F. Reduction Targets	III-16
IV. GREENHOUSE GAS REDUCTION MEASURES	IV-1
A. Town Government Operational Measures	IV-1
B. Community Operational Measures	IV-5
C. New Development Measures	IV-7
D. Quantified Reductions	IV-11
1. Community	IV-11
2. Municipal -Specific.....	IV-18
E. GHG Reduction Summary	IV-20
1. Community-wide	IV-20
2. Municipal -Specific.....	IV-20

TABLES

Table 1	Apple Valley GHG Emission Summary 2005	III-3
Table 2	Electricity Assumptions for Baseline.....	III-4
Table 3	CO ₂ e from Natural Gas Use.....	III-5
Table 4	Solid Waste Disposal to Landfills 2005.....	III-7
Table 5	GHG Baseline for Municipal Operations	III-8
Table 6	Municipal Electricity Use 2005	III-9
Table 7	Municipal GHG Emissions from Electricity.....	III-10
Table 8	GHG Emissions from Mobile Sources 2005	III-12
Table 9	GHG 2020 Forecast by Sector	III-13
Table 10	GHG 2020 Forecast	III-14
Table 11	GHG 2020 Forecast for Municipal Operations.....	III-16
Table 12	GHG Reduction Targets	III-17

CHARTS

Chart 1:	Community-wide GHG Trend	I-1
Chart 2:	Municipal-specific GHG Trend	I-2
Chart 3:	Community GHG Emissions Summary	III-4
Chart 4:	Community GHG Emissions from Electricity by Sector.....	III-5
Chart 5:	Community GHG Emission for Natural Gas by Sector.....	III-6
Chart 6:	Municipal GHG Baseline.....	III-9
Chart 7:	Municipal GHG Emissions from Electricity.....	III-10
Chart 8:	Municipal GHG Emissions from Mobile Sources	III-12
Chart 9:	Community GHG Emissions Forecast by Sector.....	III-14
Chart 10:	Community GHG Emissions Forecast.....	III-15
Chart 11:	Municipal GHG Emissions Summary	III-16

APPENDICES

Appendix A	CACP Output Tables	A-1
Appendix B	Statistical Background Data.....	B-1

I. EXECUTIVE SUMMARY

This Climate Action Plan includes general information about greenhouse gases and climate change, assumptions and data used to determine the 2005 inventory and baseline, the 2020 forecast under business as usual conditions, and the proposed reduction measures that will enable to Town to achieve the targeted reduction level, thereby doing its part to limit greenhouse gas emissions statewide that contribute to climate change. As described below the Climate Action Plan is divided into community-wide emissions and municipal specific emissions.

Community-Wide

The Climate Action Plan for the Town of Apple Valley was prepared using the year 2005 as the baseline and with a greenhouse gas emissions reduction target of 15% below 2005 levels by 2020. The Chart below shows Apple Valley’s community-wide GHG trend under business as usual conditions, the 2005 baseline level, and the 15% reduction target. Apple Valley must reduce greenhouse gas emissions by a minimum of 373,317 tons of CO₂e in 2020 in order to meet the reduction target of 15% below 2005 levels.




Chart 1: Community-wide GHG Trend

Municipal-Specific

As with the community-wide analysis, the municipal-specific inventory was prepared using the year 2005 as the baseline and with a greenhouse gas emissions reduction target of 15% below 2005 levels by 2020. The Chart below shows Apple Valley’s municipal-specific GHG trend under business as usual conditions, the 2005 baseline level, and the 15% reduction target. Apple Valley’s municipal operations must reduce greenhouse gas emissions by 1,315 tons of CO₂e in 2020 in order to meet the reduction target of 15% below 2005 levels.




Chart 2: Municipal-specific GHG Trend

II. INTRODUCTION

Greenhouse gases have, throughout earth's history, had a beneficial purpose – they keep the sun's heat in earth's atmosphere, help to keep temperatures stable at an average of 60 degrees Fahrenheit, and influence climate across the globe. As fossil fuel use and industrial processes increased in the last two centuries, however, the production of greenhouse gases also increased beyond the natural order. As greenhouse gas concentrations rise in the atmosphere, they result in increases in temperature – this increase has become known as climate change. Greenhouse gases include several chemicals: carbon dioxide (CO₂), methane (CH₄), nitrous oxide (NO₂), ozone (O₃) and hydrofluorocarbons. Carbon dioxide and methane are the most common greenhouse gases.

A. The Evolution of Climate Change

Climate change has been theorized and studied since the late 1800's. By the late 1900's, the study of climate change had evolved and better understood the causal relationship between greenhouse gases and global increases in temperature. The Montreal Protocol was originally signed in 1987, and amended in 1990 and 1992. It required that the production and consumption of chlorofluorocarbons, halons, carbon tetrachloride, which all deplete ozone in the stratosphere, were to be phased out by 2000. Methyl chloroform was to be eliminated by 2005.

The United Nations established the Intergovernmental Panel on Climate Change ("IPCC") in 1988. Its mission was to evaluate the impacts of global warming and develop strategies which could be implemented by countries across the globe to curtail climate change resulting from human activities, particularly from the burning of fossil fuels for transportation and power generation. The United States and other countries around the world signed the United Nations Framework Convention on Climate Change ("UNFCCC") Agreement in 1992. The treaty's goal was the "stabilization of greenhouse gas concentrations in the atmosphere at a level that would minimize dangerous anthropogenic interference with the climate system¹." Evolving from the UNFCCC, in 1997, in Kyoto Japan, delegations from numerous countries drafted the Kyoto Protocol, which requires industrialized countries to reduce greenhouse gas emissions 5.2% below 1990 levels. By October of 2009, 187 countries had signed and ratified to the Protocol. The United States has also signed the protocol, but is the only country not to ratify it. Since its inception, participating nations have met regularly to discuss implementation of strategies and programs, the latest such meeting being in Copenhagen in early December 2009.

International efforts have translated throughout the world into national programs and strategies which are still evolving today. In the United States, federal requirements and guidance have been limited. However, the United States Supreme Court, in the case of *Massachusetts v. The Environmental Protection Agency* (EPA), held that the EPA had a mandatory duty to enact rules

¹ Article 2, The United Nations Framework Convention on Climate Change.

regulating mobile emissions of greenhouse gas pursuant to the Federal Clean Air Act. The Court held that greenhouse gases do fit the definition of an air pollutant that may reasonably be anticipated to endanger public health or welfare. It appears that the United States EPA will promulgate regulations pertaining to emissions of greenhouse gases under the authority of the Federal Clean Air Act. Although federal legislation and programs in the US have been limited to date, individual states, most notably California, have implemented programs and strategies to affect reductions in greenhouse gases, and set measurable goals and targets for these reductions.

B. The Impact of Climate Change

The United Nations Intergovernmental Panel on Climate Change predicts that changes in the earth's climate will continue through the 21st century and that human activity may increase the rate of change significantly in the future. These changes are caused by greenhouse gas increases.

Climate change can increase hazards associated with wildfires, rising sea levels, and groundwater supply. Public health can suffer due to greater temperature extremes and more frequent extreme weather events, increases in transmission of infectious disease, and increases in air pollution. Agricultural production can be altered by changes in temperature and rainfall patterns.

Rises in temperature have the potential, for example, to cause a shift in the hydrological cycle. While predicted patterns vary with latitude and global location, roughly 75% of analyzed climate change models agree that within the western United States there will be a 10% to 40% decrease in stream flows by 2050². This may be due to a decrease in precipitation levels, which has been evident in the drought conditions suffered by the southwest in recent years, as well as an increase in evaporation, which is temperature dependant and increases as temperatures climb. It has been predicted that a change in the global average surface temperature of 2°C would be at the low end of the possible range³. According to the Institute for the Study of Planet Earth at the University of Arizona, it is estimated that a 2°C increase in temperature corresponds to a 9% to 21% decrease in stream flow on the Colorado River⁴.

The coast of California is likely to see a rise in sea level that could threaten shorelines, cause increased erosion, and loss of life and property. Sea level rise and storm surges could lead to flooding of low-lying property, loss of coastal wetlands, erosion of cliffs and beaches, saltwater contamination of drinking water, and damage to roads, causeways, and bridges.

Between the beginning of the industrialized era and 2005, the atmospheric concentration of CO₂ in the atmosphere had increased by 35%, methane by 151%, and nitrous oxide by 18%.

² "Global Pattern of Trends in Stream Flow and Water Availability in a Changing Climate," by P.C.D. Milly et al., Nature Letter 2005.

³ "Working Group III contribution to the Intergovernmental Panel on Climate Change Fourth Assessment Report," Climate Change 2007: Mitigation of Climate Change.

⁴ "Climate Change in the Colorado River Basin and CAP: a model study," prepared by the Institute for the Study of Planet Earth at The University of Arizona July 18, 2000.

The United Nations estimated that in 2004, total GHG emissions were 20,135 teragrams of carbon dioxide equivalents (Tg CO₂E), excluding emissions/removals from land use, land use change, and forestry. The U. S. Environmental Protection Agency in 2004 estimated that the U.S. contributed 35% of global GHG emissions, with a total of 7074.4 Tg CO₂E, an increase of 15.8% over 1990 emissions.

California is the second largest greenhouse gas contributor in the U.S. and the sixteenth largest in the world. From 1990 to 2003, California's GHG emissions increased 12%. In 2004, California produced 492 Tg CO₂E, which is approximately 7% of all U.S. emissions. Transportation is responsible for 41 percent of the state's total GHG emissions; while electricity generation represents 22% of the state's GHG emissions. Conversely, emissions from residential and commercial fuel use in California decreased 9.7% from 1990 to 2004. This decrease may be due to increases in the effectiveness of energy conservation in buildings (Title 24 requirements) and more efficient appliances.

Greenhouse Gases

The term greenhouse gases refers to a broad group of chemicals and substances which all have one thing in common: they have been found to cause changes in the atmosphere which have been shown to, or are suspected of changing climatic conditions on earth. In most cases, these chemicals and substances have a very long life in the atmosphere, and therefore continue to affect climate over a long period of time. The primary greenhouse gases include:

Carbon Dioxide

Carbon dioxide is the primary greenhouse gas that has raised the alarm of atmospheric scientists due to current and projected levels and the highly correlated temperature regression curve that has been observed, predicting a future path of rising carbon dioxide levels and associated increases in temperature. Carbon dioxide is a naturally occurring, odorless and colorless gas. It has natural sources, including bacterial, plant, animal, and fungal respiration; the evaporation of oceans; the decomposition of organic matter; and volcanic out gassing. Man-made sources include the burning of coal, oil, natural gas, and wood. Carbon dioxide is removed from the atmosphere by photosynthesis, is dissolved into lakes and oceans water, and transferred to the soil.

Currently, carbon dioxide concentrations in the atmosphere are around 370 parts per million (ppm). Comparatively, prior to the Industrial Revolution, about 250 years ago, CO₂ levels were 278 ppm, and over the past 650,000 years carbon dioxide levels have fluctuated between 180 and 300 ppm, making present day atmospheric CO₂ levels substantially greater than at any point in the past 650,000 years.⁵ The concentration of carbon dioxide is projected to increase to a minimum of 540 ppm by 2100 as a direct result of man-made activities.

⁵ "Working Group III Contribution to the Intergovernmental Panel on Climate Change Fourth Assessment Report, Climate Change 2007: Mitigation of Climate Change," prepared by the Intergovernmental Panel on Climate Change, May 2007.

Methane

Methane has both natural and man-made sources. In nature, it is released as part of biological processes such as in swamplands. Man-made sources include the combustion of fossil fuels, and biomass burning. Human activities such as raising cattle, using natural gas, and mining coal have increased the concentration of methane in the atmosphere in recent times. Methane is extremely effective at absorbing atmospheric radiation. Compared to other greenhouse gases, its 10 to 12 year life span is brief.

Nitrous Oxide

Nitrous oxide occurs naturally in soil and water, resulting from microbial processes. It is also produced by fertilizer which contains nitrogen. Man-made sources include nitric acid production, fossil-fuel powered power plants and vehicle emissions. Nitrous oxide is a colorless greenhouse gas which can cause dizziness, euphoria, and sometimes slight hallucinations. Extended use can cause brain damage. It is used as an aerosol propellant, and as a food preservative, as well as a race car fuel.

Chlorofluorocarbons

CFCs were first synthesized in 1928, and do not occur in nature. They were used for aerosol propellants, refrigerants and cleaning solvents. They were found to be a cause of the reduction in stratospheric ozone, and as a result, a global effort was undertaken to stop their production. This effort was extremely successful, and levels of the major CFCs are now remaining stagnant or declining. Their long atmospheric lifetimes mean that some = will remain in the atmosphere for over 100 years. CFCs are nontoxic, nonflammable, insoluble, and chemically unreactive in the air at the earth's surface. CFCs are known to cause cardiac arrhythmia and asphyxiation.

Hydrofluorocarbons

Hydrofluorocarbons are man-made chemicals that are used as a substitute for CFCs. They are used in automobile air conditioners, and as refrigerants. Prior to 1990, the only significant emissions were of HFC-23. HFC-134a emissions are now increasing due to its use as a refrigerant.

Perfluorocarbons

Perfluorocarbons (PFCs) are produced in the production of aluminum and semiconductors. They do not break down through the chemical processes in the lower atmosphere. Ultraviolet rays about 60 kilometers above earth's surface are able to destroy them. As a result, PFCs have very long lifetimes of between 10,000 and 50,000 years.

Health Effects: None.

Sulfur Hexafluoride

Sulfur hexafluoride is used for insulation in electric power transmission and distribution equipment, in the magnesium industry, in semiconductor manufacturing, and as a tracer gas for leak detection. Sulfur hexafluoride is an odorless, colorless, nontoxic, nonflammable and inorganic gas. In high concentrations in confined areas, it displaces the oxygen needed for breathing, and can cause suffocation.

Aerosols

Aerosols include sulfate aerosols, which are emitted when fuel with sulfur in it is burned, and black carbon (or soot) which is emitted during bio mass burning and the incomplete combustion of fossil fuels. Aerosols can warm the atmosphere by absorbing and emitting heat and can cool the atmosphere by reflecting light. Cloud formation can also be affected by aerosols. Particulate matter regulation has been lowering aerosol concentrations in the United States; however, global concentrations are increasing as a result of fossil-fuel burning around the world.

Water Vapor

Water vapor has a significant influence on global warming, and is the most abundant and variable transporter of greenhouse gases in the atmosphere. Water vapor maintains a climate necessary for life. As the temperature of the atmosphere rises, more water is evaporated in rivers, oceans, reservoirs and soil. When the air is warmer, the relative humidity can be higher, leading to more water vapor in the atmosphere. This higher concentration of water vapor is able to absorb more of the indirect thermal energy radiated from the earth, further warming the atmosphere. The warmer atmosphere can then hold more water vapor, creating a “positive feedback loop.” The feedback loop in which water is involved is critically important to projecting future climate change.

C. California Law

Perhaps the first requirement for energy efficiency, California Code of Regulations Title 24, Part 6, enacted in 1978, established energy efficiency standards for residential and nonresidential buildings. The standards are contained in the Building Codes used in most California jurisdictions, and are updated periodically to allow incorporation of new energy efficiency technologies and methods. The most recent update occurred in early 2010.

The first piece of California legislation directly associated with climate change was passed in 1988, when Assembly Bill (AB) 4420 was approved. This Bill directed the California Energy Commission to study the implications of global warming on California’s environment, economy, and water supply, in consultation with the Air Resources Board and other agencies. The Commission was also required to prepare and maintain the state’s inventory of greenhouse gas emissions. The ARB was required to adopt regulations to achieve the maximum feasible and cost-effective reduction of motor vehicle greenhouse gas emissions. ARB proposal to implement these regulations was approved in September, 2004. Its implementation will result in an average reduction of greenhouse gases from new California cars and light trucks of 22% in 2012 and 30% in 2016.

AB 1493 was signed into law in 2002. It required that the ARB develop and adopt regulations that achieve the maximum feasible and cost effective reduction of greenhouse gases emitted by passenger vehicles and light-duty trucks. ARB adopted regulations in 2004 limiting greenhouse gas emissions from new vehicles sold in California beginning in the 2009 model year. New vehicles complying with this regulation will consume 30% less fuel than vehicles built prior to 2009.

The Global Warming Solutions Act (AB 32), signed in 2006, requires the ARB to develop regulations on how the state will combat global warming, and requires the state to cut GHG emission to 1990 levels by the year 2020. Specifically, AB 32 requires the ARB to do the following:

1. By January 1, 2008, establish a statewide greenhouse gas emissions cap for 2020, based on 1990 emissions.
2. By January 1, 2008, adopt mandatory reporting rules for significant sources of greenhouse gases.
3. By January 1, 2009, adopt a plan which describes how emission reductions will be achieved from significant greenhouse gas sources via regulations, market mechanisms and other actions.
4. By January 1, 2011, adopt regulations to achieve the maximum technologically feasible and cost-effective reductions in greenhouse gases, including provisions for using both market mechanisms and alternative compliance mechanisms.
5. Convene an Environmental Justice Advisory Committee and an Economic and Technology Advancement Advisory Committee to advise ARB.
6. Evaluate several factors, including the impacts on California's economy, the environment, and public health; equity between regulated entities; electricity reliability, conformance with other environmental laws, and environmental justice prior to imposing any mandates.
7. Adopt a list of action measures by July 1, 2007 that can be implemented before January 1, 2010.

ARB has determined that absent AB 32 and other California climate change laws, California's projected 2020 greenhouse gas emissions would be 596⁶ million metric tons carbon dioxide equivalent (MMTCO₂e). On December 6, 2007, ARB approved the statewide greenhouse gas limit for carbon dioxide equivalent in the amount of 427 million metric tons. Accordingly, to satisfy the requirements of AB 32, California needs to reduce its overall 2020 emissions for all sectors by 169 MMTCO₂e, or 28.3 percent below the "business as usual" 2020 projection of 596 million metric tons. The ARB also determined:

"In recognition of the importance of local governments in the successful implementation of AB 32...(The ARB) recommends a greenhouse gas emissions reduction target for local government municipal and community-wide emissions of a 15 percent reduction from current levels by 2020 to parallel the State's target."⁷

⁶ CARB Scoping Plan, Table 1, December 2008.

⁷ CARB Scoping Plan, Introduction – Proposed Measures, December 2008.

This 15 percent reduction from current levels applies to all sectors within the control of the local government, including, but not limited to, reducing emissions from current existing buildings and reducing emissions from government fleet cars.

To date the ARB, Environmental Protection Agency (EPA), and other regulatory agencies have not adopted thresholds to analyze project level impacts on climate change. The South Coast Air Quality Management District has established a Working Group to work on these thresholds, but has only established thresholds for industrial projects over which it has jurisdiction.

III. CURRENT EMISSIONS AND REDUCTION TARGETS

A. Introduction

Establishing a greenhouse gas baseline allows for projecting an emissions forecast and reduction target, and achieving quantifiable emission reductions associated with implementing proposed measures.

A greenhouse gas inventory is intended to consider all activities within the jurisdiction that result in the emission of greenhouse gases. For the purposes of this inventory, major sources of GHG emissions were identified and the contribution of the following greenhouse gases were quantified: Carbon Dioxide (CO₂), Methane (CH₄), and Nitrous Oxide (N₂O). GHG emissions are presented in units of Tons of Carbon Dioxide equivalent (CO₂e). In order to determine CO₂e for any greenhouse gas the appropriate global warming potential must be applied; CH₄ has a global warming potential of 21 and N₂O has a global warming potential of 310.

It should be noted that this GHG Inventory is not intended to be exhaustive, rather a good-faith effort has been made to identify major sources of greenhouse gases and establish a baseline that can be further refined as more detailed information becomes available.

The Town of Apple Valley Greenhouse Gas Inventory was conducted by reviewing records from various Town departments such as Finance and Environmental and Regulatory Compliance, gathering and assembling data from local and regional utilities and management agencies, and utilizing modeling software to inventory emissions and establish a baseline. The purpose of the baseline emissions inventory is to determine the levels of greenhouse gas emissions that Apple Valley emitted in its base year, 2005.

In addition to a Town-wide emissions inventory, analysis was also conducted in order to identify Greenhouse Gas Emissions from Municipal sources. These include Town owned and operated facilities such as government buildings, community parks and recreation centers, traffic signals and street lighting, and operation of wastewater conveyance. Identifying Apple Valley's municipal GHG sources allows the government to estimate and track greenhouse gas emissions resulting directly from municipal operations. Although the municipal operations inventory is intended to be subset of the community-scale inventory, there is some overlap due to lack of detailed information. Where there is overlap it is further explained below.

There are two main reasons for completing separate emissions inventories for community and municipal operations. First, government has a higher degree of control and a greater opportunity to achieve GHG reductions in its own municipal emissions than those created by the community at large. Second, by proactively reducing emissions generated by its own activities, the Town of Apple Valley government takes a visible leadership role in the effort to address climate change, which is important for inspiring local action within Town limits, as well as surrounding communities.

B. Methodology

An inventory of greenhouse gas emissions requires the collection of information from a variety of sectors and sources. For electricity and natural gas data Southern California Edison (SCE) and Southwest Gas Corporation were consulted. The Traffic Study prepared for Apple Valley's General Plan served as the source of transportation data. Solid waste data was gathered from the California Department of Resource Recycling and Recovery, the County of San Bernardino Solid Waste Management Division (SWMD), and the Victor Valley Materials Recovery Facility. Town staff including Diana McKeen, Environmental and Regulatory Compliance Manager, and Kaye Reynolds, Assistant Director of Finance, were instrumental in providing data on municipal operations and support for the Town-wide inventory and invoice records, respectively.

Apple Valley's community inventory includes all energy consumed within Town limits. This means that even though the electricity used is actually produced elsewhere, this energy and emissions associated with it appears in Apple Valley's inventory. The decision to calculate emissions in this manner reflects the general philosophy that a community should take full ownership of the impacts associated with its energy consumption, regardless of whether the generation occurs within the geographical limits of the community.

Data was assimilated using 2005 as the base year. For utilities and agencies that could not readily provide data for the 2005 year, data was obtained for the closest year available and a reduction factor was applied in order to account for the difference in demand. According to the Department of Finance City/County Population Estimates in 2005 Apple Valley's population size was 63,754 people. In 2008 the Town's population size was 69,654 people. This represents a growth rate of 8.47% over the three year period from 2005 to 2008.⁸

Assimilating data from all utilities and agencies provided the base information needed to build a comprehensive community emissions inventory and a municipal emissions inventory. The Clean Air and Climate Protection (CACP) software, Version 1.1., June 2005, was utilized in order to systematically estimate and track greenhouse gas emissions from energy and waste related activities at the community-wide scale and those resulting directly from municipal operations.

ICLEI's Emissions Analysis Software

To facilitate local government efforts to identify and reduce greenhouse gas emissions, the International Council for Local Environmental Initiatives (ICLEI) developed the Clean Air and Climate Protection (CACP) software package with Torrie Smith Associates. This software estimates emissions derived from energy consumption and waste generation within a community. The CACP software determines emissions using specific factors (or coefficients) according to the type of fuel used.

Emissions are aggregated and reported in terms of carbon dioxide equivalent units, or CO₂e. Converting all emissions to carbon dioxide equivalent units allows for the consideration of different greenhouse gases in comparable terms. As mentioned above, methane is twenty-one times more powerful than carbon dioxide in its capacity to trap heat, so the model converts one ton of methane emissions to 21 tons of CO₂e.

⁸ Department of Finance Table E-5A, City/County Population.

The emissions coefficients and methodology employed by the software are consistent with national and international inventory standards established by the Intergovernmental Panel on Climate Change (1996 Revised IPCC Guidelines for the Preparation of National GHG Emissions Inventories), the U.S. Voluntary Greenhouse Gas Reporting Guidelines (EIA form 1605), and, for emissions generated from solid waste, the U.S. EPA's Waste Reduction Model (WARM).

Although the software provides Apple Valley with a sophisticated and useful tool, calculating emissions from energy use with precision is difficult. The model depends upon numerous assumptions, and it is limited by the quantity and quality of available data. With this in mind, it is useful to think of any specific number generated by the model as an approximation rather than an exact value.

C. Community Emissions Inventory (Baseline 2005)

Summary

A community-wide emissions inventory for greenhouses was conducted for the Town of Apple Valley. The GHG inventory establishes an emissions baseline for the year 2005. The GHG inventory considers emissions generated by the Town of Apple Valley from the use of electricity and natural gas, transportation, pumping, streetlights and traffic signals, and decomposition of solid waste. Using the data and methodology described below, the baseline GHG emission, Community-wide for the Town of Apple Valley is estimated to be 748,524 tons of Carbon Dioxide equivalent (CO₂e) for 2005.

Table 1
Apple Valley GHG Emission Summary 2005

Sector	Tons CO ₂ e
Residential	141,417
Commercial	38,039
Industrial	7,118
Transportation	510,676
Solid Waste	43,932
Pumping Facilities	5,956
Streetlights and Signals	1,386
Total	748,524




Chart 3: Community GHG Emissions Summary

Electricity

Southern California Edison prepared a community-wide report for electricity usage for 2005.⁹ Annual electricity usage is presented in kilowatt-hours by rate group and includes the number of accounts for each, see Table 2 below.

**Table 2
Electricity Assumptions for Baseline**

Sector	Rate Group	Annual kwh	Accounts	kwh per account
Residential	Domestic	195,613,488	23,316	8,390
Commercial	GS-2, and TOU-8	79,780,787	301	265,052
Industrial	GS-1	13,799,465	1,848	7,467
Streetlight	ST LIGHT	3,905,754	160	24,411
Pumping	AG TOU, and PA-2	16,783,859	96	174,832
Total		309,883,353		

In order to determine the quantity of greenhouse gas emissions associated with the production of the Town-wide electricity, kwh values for each sector were plugged into the CACP Software.

⁹ "Electricity Use Report for Town of Apple Valley Year 2005," prepared by Southern California Edison, Version 5.0, March 22, 2010.

Electricity emission factor for year 2005 are based on the Western Systems Coordinating Council/CNV and represent the following tons/GWh: 343.3 for CO₂, 0.027 for CH₄, and 0.035 for N₂O. To obtain results in tons of Carbon Dioxide equivalence, units were converted and a global warming potential of 21 for methane and 310 for nitrous oxide was applied. The 2005 baseline community-wide electricity use for the Town of Apple Valley is 309,883,353 kwh, which results in the generation of 109,954 tons of CO₂e.




Chart 4: Community GHG Emissions from Electricity by Sector

Natural Gas

Figures for Town-wide natural gas use were provided by Kurt Edwards, Southwest Gas Corporation, on February 24, 2010. The data summarized Town-wide use of natural gas in 2005 by quarter for ten customer categories including commercial, residential, industrial and GTS Transporter. For the purposes of this analysis GTS Transporter was lumped with industrial.

Table 3
CO₂e from Natural Gas Use

Sector	2005 Therms
Residential	11,576,524
Commercial	1,574,978
Industrial	359,547
Total	13,511,049

Natural gas data is provided in therms, which is a standard unit for heat energy. One therm is equal to 100,000 British thermal units (BTU), which is the energy equivalent of burning approximately 100 cubic feet of natural gas. The therm unit provides energy content, which varies due to variation in the mix of hydrocarbons.

In 2005 the annual Town-wide use of natural gas was 13,511,049 therms. The CACP heat coefficients in pounds per therm are: 0.007 for CO₂, and 0.000001 for CH₄. Using these factors and the global warming potential of 21 for methane, a total of 83,474 tons of CO₂e were emitted in 2005 from Town-wide use of natural gas.




Chart 5: Community GHG Emission for Natural Gas by Sector

Propane

In order to account for the use of propane within the Town of Apple Valley it was assumed that on average a single family home utilizes 1,000 gallon of propane annually. It was estimated that homes not using natural gas utilized propane. In 2005 there was an average of 22,455 residential natural gas accounts. The Department of Finance estimated that in 2005 there were 22,453 households town-wide. Therefore, it was assumed that in 2005 72 homes relied exclusively on propane and used 1,000 gallon per year of a total of 72,000 gallons. The use of 72,000 gallons of propane results in the emission of 486 tons of CO₂e in 2005.

Transportation

The majority of GHG emissions from the transportation sector are from Apple Valley residents' vehicle miles traveled. The public transportation, Victor Valley Transit Authority, has several routes within Town limits that also result in a minor contribution to GHG emissions in the transportation sector. Although specific data on VVTA routes was not available, it was assumed that transit buses accounted for 1.5 million vehicle miles per year in 2005.¹⁰ Although there is a small regional airport within the Town of Apple Valley GHG emissions associated with air travel are not included in this analysis. Similarly, although there is a railroad within Town limits GHG emissions associated with rail travel is not included in this analysis.

¹⁰ Assumes a standard breakout of vehicle mix and type.

Average Daily Trips

Total average daily trips for 2005 was obtained from the Town of Apple Valley General Plan Circulation Update, prepared by Urban Crossroads. To quantify traffic counts and verify 2005 daily trips generated by the Town of Apple Valley, Urban Crossroads utilized guidelines from the National Cooperative Highway Research Program, Report 225 (NCHRP-225).

Using ITE standard trip length per trip type, average daily trips were converted into total miles traveled. Using this methodology it was determined that the Town of Apple Valley generated a total of 776.79 million miles in 2005.

GHG Emissions

Using the CACP software it was determined that in 2005 the transportation sector resulted in the emission of 422,335 tons of CO₂e from the combustion of gasoline and the emission of 88,341 tons of CO₂e from the combustion of diesel, for a total of 510,676 tons of CO₂e.

Solid Waste

Apple Valley's solid waste stream is divided into waste that is hauled directly to the landfill and commingled recycling, which is processed through the Victor Valley Materials Recovery Facility (MRF). As much as 70% of the total volume of commingled recyclables received at the MRF is recovered, baled and sold. The remaining 30% is non-recyclable or non-capturable and goes to the landfill for disposal.

Solid waste in the Town of Apple Valley is generated in all sectors, but is assimilated and weighed per load. Currently available data for 2005 provides summary data for franchise collectors (AVCO), self-hauling companies, and Cash costumers (individuals who self-haul material to landfills for disposal). In 2005 the Town of Apple Valley contributed a total of 75,618.71 tons of solid waste to surrounding landfills, 99% of which went to the Victorville Landfill.

Table 4
Solid Waste Disposal to Landfills 2005

	Solid Waste Tons
Victorville Landfill	74,478.48
Mid-Valle Landfill	621.55
Barstow Landfill	509.69
Landers Landfill	8.08
San Timoteo	0.91
	75,618.71

Using the CACP software it was determined that in 2005 the decomposition of solid waste in managed landfills with no methane capture technology resulted in the generation of 43,932 tons of CO₂e.

D. Municipal Emissions Inventory (Baseline 2005)

Summary

A municipal specific inventory for greenhouse gasses was also conducted in order to determine GHG emissions generated directly by Town-owned and operated facilities. In keeping with the community inventory, the municipal inventory establishes a baseline of emissions for the year 2005. The municipal GHG inventory considers emissions generated by the operation of Town facilities and local government activities including emissions from the use of electricity, natural gas, transportation from the Town's fleet, the police fleet, and employee commute, water and sewage pumping, and decomposition of solid waste.

A concerted effort was made to obtain sector specific data for 2005. Where data was not available for the 2005 year, data from 2008 was used and an 8.47% reduction factor was applied to the 2008 quantities to account for growth between 2005 and 2008.

Using the data and methodology described below, the baseline GHG emission for municipal operation is estimated to be 2,138 tons of Carbon Dioxide equivalent (CO₂e) for 2005. The Table below shows total greenhouse gas emissions from all municipal sources for the year 2005.

Table 5
GHG Baseline for Municipal Operations

Sector	CO₂e Tons
Building and Facilities	801
Streetlights and Traffic Signals	193
Wastewater Facilities	106
Employee Commute	347
Town Fleet	256
Police Department	364
Solid Waste	71
Total	2,138

It should be noted that Municipal operations account for 0.29% of the community wide GHG emission for the Town of Apple Valley. Emissions from municipal operations are a sub set of the community-wide analysis.




Chart 6: Municipal GHG Baseline

Electricity

Southern California Edison provided data use information for the Town of Apple Valley municipal accounts for 2005, which includes accounts from streetlights and traffic signals, buildings and structures, and pumping facilities.

**Table 6
Municipal Electricity Use 2005**

Sector	SCE kwh 2005 ¹
Buildings and Facilities	842,006
Streetlights and Traffic Signals	543,201
Pumping Facilities	298,043
Total	1,683,250

¹ Provided by SCE for Town Specific Facilities.

In order to determine the quantity of greenhouse gas emissions associated with the production of the municipal electricity demand the aforementioned values were plugged into the CACP Software. Electricity emission factor for year 2005 are based on the Western Systems Coordinating Council/CNV and represent the following tons/GWh: 343.3 for CO₂, 0.027 for CH₄, and 0.035 for N₂O. To obtain results in tons of Carbon Dioxide equivalence units were converted and a global warming potential of 21 for methane and 310 for nitrous oxide was applied. Municipal operations resulted in the emission of 1,100 tons of CO₂e due to electricity use in 2005.

Table 7
Municipal GHG Emissions from Electricity
2005

Sector	Tons CO ₂ e
Building and Facilities	299
Streetlights and Traffic Signals	193
Wastewater Facilities	106
Total	1,100




Chart 7: Municipal GHG Emissions from Electricity

Natural Gas

Figures for municipal natural gas use was provided by Jessica Gaither, Energy Services, Southwest Gas Corporation, on May 5, 2009. The data summarized 2008 natural gas usage rates per month for each of the Town municipal accounts. In order to estimate usage rates for 2005, an 8.47% reduction factor was applied to the 2008 total, resulting in the use of 81,211 Therms of natural gas in 2005.

The CACP heat coefficients in pounds per therm are: 0.007 for CO₂, and 0.000001 for CH₄. Using these factors and the global warming potential of 21 for methane, it was estimated that a total of 502 tons of CO₂e were emitted in 2005 from municipal operation's use of natural gas.

Mobile Combustion

GHG emissions from the transportation sector associated with municipal activities are from the combustion of fuels in the operation of vehicle.

Municipal Fleet

The Town's municipal fleet includes a variety of vehicle makes and models and is comprised primarily of light-trucks and pickups. The Town's Finance Department provided annual gallons used by each vehicle for 2008. In order to estimate the total gallons used by the Municipal Fleet for 2005 an 8.47% reduction factor was applied. Using this methodology it was estimated that in 2005 total gallons used by the Municipal Fleet was 21,433 gallons of gasoline and 2,427 gallon of diesel in 2005. Total GHG emission from operation of the Town's Municipal Fleet in 2005 was 256 tons of carbon dioxide equivalent.

Police Fleet

The Police Department also generated GHG emissions from the operation of vehicles for policing activities. The Police Department fleet is comprised of approximately 30 vehicles ranging in make and model and fuel economy. In order to determine emissions from the police fleet total miles traveled by each vehicle was multiplied by the vehicles miles per gallon using EPA estimates for various vehicle types. Since data for the Police Fleet was provided for 2008, an 8.47% reduction factor was applied in order to estimate 2005 levels.¹¹ This calculation provided a total fuel use of 33,815 gallons of gasoline for operation of the police fleet. As seen below 364 tons of CO₂e was generated by police fleet activities in 2005.

Employee Commute

Town employees commuting to and from work also generated GHG emissions from the operation of vehicles. It was estimated that in 2005 there was 104 full time employees working for the Town of Apple Valley. It was assumed that on average employees travel 23 miles roundtrip to and from work in a passenger vehicle. Assuming a 5 day work week, year round, Town employee commutes in 2005 resulted in 570,928 total vehicle miles traveled and the generation of 347 tons of CO₂e.

Mobile Summary

Total municipal emissions from mobile sources includes operation of the Town fleet, Police fleet, and employee commutes is estimated to total 967 tons of carbon dioxide in 2005, see seen in the Table 8 and Chart 8 below.

¹¹ Data was provided for year 2008 at 36,945 gallons and an 8.47% reduction factor was applied in order to estimate 2005 emissions.

Table 8
GHG Emissions from Mobile Sources
2005

Sector	CO₂e Tons
Town Municipal Fleet	256
Police Fleet	364
Town Employee Commute	347
Total	967




Chart 8: Municipal GHG Emissions from Mobile Sources

Solid Waste

Although no direct data was available for Municipal-specific generation of solid waste, in order to estimate the Municipal contribution, the Town-wide 2005 quantity of 75,618 tons was divided by 63,754, the 2005 population size, to determine the per person waste generation rate. Using this factor, 1.186 tons of solid waste per person, and multiplying by the Town employee number of 104 people in 2005, it was estimated that the Municipal contribution of solid was 122.68 tons. The decomposition of 122.68 tons of solid waste based on the waste sector primer and coefficients from the CACP software results in the generation of 71 tons of CO₂e.

E. Future Emissions Estimates, Business As Usual

An emission forecast for year 2020 was conducted using the CACP model based on the 2005 Inventory, described above. The forecast showing GHG emission projections for 2020 represent business as usual (BAU) conditions, it is assumed that there is no change in the current operating procedures.

1. Community Wide

A community wide emissions forecast was prepared for future year 2020 for the Town of Apple Valley. The GHG forecast is based on the 2005 baseline inventory as described in Section B above and projects future emission for 2020 under business as usual (BAU) conditions. BAU conditions assume that there is no change in the current operating procedures. Forecast conditions assumed an annual growth rate of 1.6% for commercial, industrial, and solid waste, and an annual growth rate of 1.8% for residential the transportation sectors.

Using the data set established in the baseline inventory conducted for 2005 and the CACP model to forecast future conditions, the Community-wide GHG emissions for the Town of Apple Valley forecast for 2020 is estimated to be 1,009,561 tons of Carbon Dioxide equivalent (CO₂e).

The Table and Chart below shows Apple Valley's total greenhouse gas emissions forecast from all major sources for the year 2020 under BAU conditions. Fuel consumption in the transportation sector is the single largest source of emissions, contributing 62% of total emissions. The residential, commercial, and industrial sectors represent emissions that result from electricity, propane and natural gas used in both private and public buildings and facilities. Streetlights and pumping facilities include energy expenditures required to fulfill operations. Solid waste represents community-wide disposal from all waste brought to landfills in 2020.

Table 9
GHG 2020 Forecast by Sector

Sector	Tons CO₂e
Natural Gas ¹	109,267
Electricity ²	203,138
Transportation	627,170
Streetlights	2,689
Pumping Facilities	11,555
Solid Waste	55,742
Total	1,009,561

1 Includes propane.

2 Includes residential, commercial, and industrial




Chart 9: Community GHG Emissions Forecast by Sector

The Table and Chart below shows Apple Valley's total greenhouse gas emissions forecast for Residential, Commercial, and Industrial sectors for the year 2020 under BAU conditions. GHG emissions for these sectors result from electricity, propane and natural gas used in both private and public buildings and facilities.

**Table 10
GHG 2020 Forecast**

Sector	Tons CO ₂ e
Residential	232,812
Commercial	67,275
Industrial	12,319




Chart 10: Community GHG Emissions Forecast

2. Municipal Specific

A municipal specific emissions forecast was prepared for future year 2020 for Town-owned and operated facilities. The Municipal forecast shows the anticipated GHG Emissions from government operation under BAU conditions and is based on the 2005 baseline inventory as described in Section B above. The 2020 forecast for municipal operations assume an annual growth rate of 1.6% for electricity, natural gas, , and solid waste, and an annual growth rate of 1.8% for mobile sources including the Town and Police fleet and employee commute.

Using the baseline inventory for 2005 and the CACP model to forecast future conditions, the GHG emissions from municipal operations within the Town of Apple Valley for 2020 is projected to be 3,132 tons of Carbon Dioxide equivalent (CO₂e).

The Table and Chart below shows Apple Valley’s total greenhouse gas emissions forecast for municipal operations for the year 2020 under BAU conditions.

Table 11
GHG 2020 Forecast for Municipal Operations

Sector	CO₂e Tons
Building and Facilities	1,216
Streetlights and Traffic Signals	379
Pumping Facilities	205
Employee Commute	435
Town Fleet	333
Police Department	474
Solid Waste	90
Total	3,132




Chart 11: Municipal GHG Emissions Summary

F. Reduction Targets

A reduction target provides a tangible goal for emission reduction efforts. Apple Valley's emissions reduction target represents a percentage by which the community aims to decrease emissions, below the 2005 baseline, by 2020.

Many factors were considered when selecting the reduction target. Ultimately, Apple Valley's reduction target is both aggressive and achievable given local circumstances. Local factors considered in selecting the target reduction percentage included estimation of the effects of implemented and planned programs and policies, an approximate assessment of future

opportunities to reduce emissions, targets adopted by peer communities, and emissions reductions expected to be achieved by state-level climate policy.

The Town of Apple Valley set a reduction target at 15% below 2005 levels by the year 2020 for both the community and municipal operations. As described above, the 2005 baseline level for GHG emissions was established by conducting a community-wide and government-specific inventory in order to identify and quantify the major GHG emitters within Town limits. Section III-B and III-C above describe the assumptions and data used to arrive at the 2005 baseline. For the community-wide inventory it was determined that 748,524 tons of CO₂e represents the 2005 baseline level and the municipal baseline for 2005 is 2,138 tons of CO₂e. To achieve at 15% reduction by 2020 the community-wide GHG emissions level will need to be reduced to 636,245 CO₂e and the municipal GHG emission level will need to be reduced to 1,817 CO₂e by 2020. Therefore, the reduction target community-wide is 373,317 tons of CO₂e and the municipal reduction target is 1,315 tons of CO₂e by 2020.

Table 12
GHG Reduction Targets
Tons CO₂e

	Community-wide	Municipal
Baseline 2005	748,524	2,138
15% Below Baseline	636,245	1,817
2020 Forecast BAU	1,009,562	3,132
2020 Reduction Target	373,317	1,315

New projects developed after the adoption of this Plan, and demonstrating a reduction in emissions of 15% or more, will be consistent with this Climate Action Plan.

IV. GREENHOUSE GAS REDUCTION MEASURES

This section describes general policies and specific actions that will move the Town in the direction of realizing GHG emission reductions. Sections IV-A through IV-C provide in broad terms policies that may contribute to GHG reductions. These measures are intended as a menu for existing and future development, any combination of which can be implemented to reach reduction targets on a project-by-project basis. Section IV-D describes specific measures that yield quantifiable GHG reductions.

Introduction

Greenhouse gas emissions in Apple Valley are generated by its residents, businesses and institutions. For purposes of this Climate Action Plan, the reduction measures included below are divided into three broad categories:

1. Those which the Town as a government entity can implement (Town Government Operational Measures).
2. Those which existing homes, businesses and institutions can implement (Community Operational Measures).
3. Those which new development proposals for homes, businesses and institutions can implement.

The implementation measures are listed categorically below. Each category also includes sub-categories for general measures, transportation, energy efficiency, renewable energy and solid waste management.

A. Town Government Operational Measures

General Measures

- MO-1. Encourage the development of residential projects at a density of at least 15 units per acre in the Medium Density Residential zone along Bear Valley Road, Highway 18, Dale Evans Parkway, Apple Valley Road, Navajo Road, Central Road, and Kiowa Road.
- MO-2. Encourage the development of mixed use projects in the Mixed Use zone along Bear Valley Road, Highway 18, Dale Evans Parkway, Apple Valley Road, Navajo Road, Central Road, and Kiowa Road.
- MO-3. Encourage the development of residential projects at a density of at least 15 units per acre in the Medium Density Residential zone along the High Desert Corridor.
- MO-4. Encourage the development of mixed use projects in the Mixed Use zone along the High Desert Corridor.

- MO-5. Encourage the development of new infill or redevelopment projects along Bear Valley Road, near its intersections with Apple Valley Road, Kiowa Road and Navajo Road; or along Highway 18.
- MO-6. Plant a minimum of 25 trees annually in Town parks, and on other Town properties.
- MO-7. Partner with the Apple Valley Unified School District to establish an “adopt a tree” education and maintenance program whereby school classes adopt and maintain specific trees in Town parks and other Town properties.
- MO-8. Consider offering a Greenhouse Gas Reduction education program to be held at the Recreation Center, and offer it on a quarterly basis to residents and business persons in Town.

Transportation Measures

- MO-9. Install advanced technology systems and implement effective management strategies in order to improve the operational efficiency of transportation systems and the movement of people, goods, and services, including synchronization of traffic lights and signals.
- MO-10. Expand bikeways, walking paths and trails connecting residential neighborhoods to commercial projects, schools and other institutions, and transit.
- MO-11. Prioritize roadway improvements for areas experiencing Level of Service D or worse.
- MO-12. Replace gasoline or diesel fleet vehicles with hybrid or alternative fuel vehicles when they are scheduled for replacement, if available for the use intended.
- MO-13. A minimum of 50% of the Town’s additional new vehicle purchases in 2011 and beyond (not replacement vehicles) shall be hybrid or alternative fuel vehicles (if available for the use intended).
- MO-14. Encourage Victor Valley Transit to install bicycle racks on all buses, and to operate an all-alternative fuel fleet.
- MO-15. Encourage Apple Valley Unified School District to replace traditional fueled school buses with CNG fueled school buses upon new bus purchases.
- MO-16. Encourage CalTrans to install carpool lanes on Highway 18 and on the High Desert Corridor.
- MO-17. Adopt and implement a Transportation Demand Management Ordinance for all employers with 50 or more employees working during any given shift.

- MO-18. Specify rubberized and/or recycled asphalt in Town-initiated road pavement projects to the extent economically viable.
- MO-19. Establish a Town employee car pooling program, including incentives (preferred parking, flex time incentives, etc.) for participating employees.
- MO-20. Provide employees with free public transit passes.
- MO-21. Provide secure bicycle racks at all Town facilities.

Energy Efficiency Measures

- MO-22. Reduce energy use at all Town facilities by 15% by 2020.
- MO-23. Replace all failing or failed fixtures and appliances in Town facilities with energy efficient fixtures and appliances. Light bulbs shall be replaced with CFL or LED bulbs. Appliances shall be Energy Star rated.
- MO-24. Encourage Apple Valley Ranchos, Golden State and other water purveyors to replace water systems with energy efficient motors, pumps and other equipment.
- MO-25. Encourage VVWRA to replace wastewater systems with energy efficient motors, pumps and other equipment.
- MO-26. Encourage the County of San Bernardino to capture and utilize landfill gas for use as an energy source including fuel for vehicles, operating equipment, and heating buildings.
- MO-27. Install green roofs on Town facilities.
- MO-28. Install cool roofs on Town facilities.
- MO-29. Reduce turf areas at Town facilities by 20% overall.
- MO-30. Install semi-pervious surfaces which allow water to percolate at Town facilities to the extent economically feasible.
- MO-31. Install timers for all ball field lighting on Town facilities.
- MO-32. Establish a home weatherization and energy efficient appliance replacement grant program for existing residents including extremely low, very low and low income households.

Renewable Energy Measures

- MO-33. Consider an Energy Savings Performance Contract with a private entity to retrofit public buildings, which will allow the private entity to fund all energy improvements in exchange for a share of the energy savings over a period of time.
- MO-34. Partner with Southern California Edison in establishing a rebate/incentive/refund program for the installation of Energy Star appliances or alternative energy systems on private projects, including single family homes. Consider issuance of bonds for such a program.
- MO-35. Install photo voltaic systems on the buildings and carports located at the Public Works facility and Town Hall/Police Department, which will provide electricity for the Civic Center and the Public Works/Animal Control facilities. And install wind energy resources on properties greater than 2 acres.
- MO-36. Install a CNG fueling station and establish a public access program for same.
- MO-37. Replace failing or failed traditional water heaters in Town facilities with solar water heaters.
- MO-38. When it fails, replace the municipal pool heater with a solar pool heating system.

Solid Waste Management Measures

- MO-39. Require composting of all landscaping waste from Town facilities.
- MO-40. Implement a two-sided copy policy at all Town offices.
- MO-41. Provide recycling bins for all offices, and at all employee gathering points (lunch room, conference rooms, etc.).
- MO-42. Reuse and replace transport packaging including the reuse of cardboard boxes, and the recycling of plastic film, cardboard, and paper. Utilize reusable plastic transport packaging in place of limited-use wood pallets or cardboard boxes.
- For every 1 ton of corrugated cardboard boxes that is kept from entering the landfill, about 3.87 tons of CO₂e are avoided.
 - For every ton of plastic film (in the form of Low Density Polyethylene LDPE) that is recycled, about 1.9 tons of CO₂e are avoided annually.
 - For every ton of mixed general paper recycled about 4.3 tons of CO₂e are avoided.
 - Plastic pallets are more durable and last about 50 times longer than wood pallets and therefore produce less waste. For every reusable plastic pallet utilized in place of a wooden one, the community is achieving an emissions reduction of approximately 830 pounds CO₂e.

B. Community Operational Measures

Community Operational Measures will be implemented in a variety of ways, including voluntary implementation, partnerships with utility and appliance companies, Town incentive programs, and state and federal incentive programs as they become available.

Transportation Measures

- CO-1. Encourage replace of personal vehicle with hybrid or alternative fuel vehicle.
- CO-2. Establish and enforce idling time limits for delivery vehicles. Idling shall not be permitted for more than 5 minutes.
- CO-3. For employers, implement a Transportation Demand Management program, and document trip reduction by employees.
- CO-4. Encourage the replacement of gasoline or diesel fleet vehicles with hybrid or alternative fuel vehicles, if available for intended use.
- CO-5. Establish an employee car pooling program, including incentives (preferred parking, flex time incentives, etc.) for participating employees.
- CO-6. (Encourage) Provide employees with free or discounted public transit passes.

Energy Efficiency Measures

- CO-7. Replace failing or failed fixtures and appliances with energy efficient fixtures and appliances. Light bulbs shall be replaced with CFL or LED bulbs. Appliances shall be Energy Star rated.
- CO-8. Replace traditional water heater with an instant water heating system.
- CO-9. Replace traditional roofing with a green roof.
- CO-10. Replace traditional flat roofing with a cool roof.
- CO-11. Increase insulation in walls and roof to a minimum R-30.
- CO-12. Install weather-stripping on all doors and windows.
- CO-13. Replace grass/turf areas with drought tolerant or native plants, or with decorative rock or gravel.
- CO-14. Replace water fixtures (faucets, toilets, etc.) with high efficiency fixtures.

Renewable Energy Measures

- CO-15. Replace water heater and/or pool heater with a solar water heating system.
- CO-16. Install solar panels or photovoltaic.
- CO-17. For apartment or condominium projects, install solar or photovoltaic systems on carport roofs.
- CO-18. On properties greater than 2 acres install wind energy resources.

Solid Waste Management Measures

- CO-19. Install a home composting system.
- CO-20. Increase recycling by 20%.
- CO-21. For businesses, implement a two-sided copy policy.

C. New Development Measures

General Measures

- ND-1. Develop a residential project at a density of at least 15 units per acre in the Medium Density Residential zone along Bear Valley Road, Highway 18, Dale Evans Parkway, Apple Valley Road, Navajo Road, Central Road, and Kiowa Road.
- ND-2. Develop a mixed use project in the Mixed Use zone along Bear Valley Road, Highway 18, Dale Evans Parkway, Apple Valley Road, Navajo Road, Central Road, and Kiowa Road.
- ND-3. Develop a residential project at a density of at least 15 units per acre in the Medium Density Residential zone along the High Desert Corridor.
- ND-4. Develop a mixed use project in the Mixed Use zone along the High Desert Corridor.
- ND-5. Develop a new infill or redevelopment project along Bear Valley Road, near its intersections with Apple Valley Road, Kiowa Road and Navajo Road; or along Highway 18.
- ND-6. For projects within the North Apple Valley Industrial Specific Plan, develop employee housing within one mile of the industrial project.
- ND-7. Preserve trees occurring on-site either through in situ protection during and after construction, or through transplant and relocation within landscaped areas.
- ND-8. Utilize the Collaborative for High Performance Schools (CHPS) best practices for school design, building, and operation.

Transportation Measures

- ND-9. During project construction, on-site off-road construction equipment shall utilize biodiesel fuel (a minimum of B20), except for equipment where use of biodiesel fuel would void the equipment warranty. The applicant shall provide documentation to the Town that verifies that certain pieces of equipment are exempt, a supply of biodiesel has been secured, and that the construction contractor is aware that the use of biodiesel is required. As a conservative measure, no reduction in GHG emissions was taken for the implementation of this measure as it is unknown if biodiesel can be readily applied to the various pieces of construction equipment that will be necessary for the project.
- ND-10. Install bus stop(s) and secure scheduled transit service from Victor Valley Transit.
- ND-11. Install pedestrian, bicycle and/or equestrian trails connecting project to school(s), commercial project(s) or transit.

- ND-12. For employers, implement a Transportation Demand Management program, and document trip reduction by employees.

Energy Efficiency Measures

- ND-13. Building and site plan designs shall ensure that the project energy efficiencies surpass applicable 2008 California Title 24 Energy Efficiency Standards by a minimum of 20%. Verification of increased energy efficiencies shall be documented in Title 24 Compliance Reports provided by the applicant, and reviewed and approved by the Town prior to the issuance of the first building permit. Any combination of the following design features may be used to fulfill this measure provided that the total increase in efficiency meets or exceeds 20% beyond 2008 Title 24 standards:
- Buildings shall exceed California Title 24 Energy Efficiency performance standards for water heating and space heating and cooling.
 - Increase in insulation such that heat transfer and thermal bridging is minimized.
 - Limit air leakage through the structure or within the heating and cooling distribution system to minimize energy consumption.
 - Incorporate dual-paned or other energy efficient windows.
 - Incorporate energy efficient space heating and cooling equipment.
 - Incorporate the use of tankless water heaters in all residential units and community buildings.
 - Promote building design that will incorporate solar control in an effort to minimize direct sunlight upon windows. A combination of design features including roof eaves, recessed windows, “eyebrow” shades and shade tress shall be considered.
 - Interior and exterior energy efficient lighting which exceeds the California Title 24 Energy Efficiency performance standards shall be installed, as deemed acceptable by Town. Automatic devices to turn off lights when they are not needed shall be implemented.
 - To the extent that they are compatible with landscaping guidelines established by the Town, shade producing trees, particularly those that shade paved surfaces such as streets and parking lots and buildings shall be planted at the Project site.
 - Paint and surface color palette for the Project shall emphasize light and off-white colors which will reflect heat away from the buildings.
 - All buildings shall be designed to accommodate renewable energy sources, such as photovoltaic solar electricity systems, wind energy systems on properties greater than 2 acres, appropriate to their architectural design.
 - Consideration shall be given to using LED lighting for all outdoor uses (i.e. buildings, pathways, landscaping, carports).
- ND-14. For commercial, industrial and institutional projects, secure Leadership in Energy and Environmental Design (LEED) Silver, Gold or Platinum certification and document GHG reduction resulting from same.

- ND-15. For residential projects, implement Green Building practices and document GHG reduction resulting from same.
- ND-16. Use passive solar design by orienting buildings and incorporating landscaping to maximize passive solar heating during the winter, and minimize solar heating during the summer.
- ND-17. To reduce energy demand associated with potable water conveyance:
- Landscaping palette emphasizing drought tolerant plants and exceeding Town standards for water conservation.
 - Limit turf areas to no more than 20% of all landscaped areas.
 - Use of water-efficient irrigation techniques exceeding Town standards for water conservation.
 - U.S. EPA Certified WaterSense labeled or equivalent faucets, high-efficiency toilets (HETs), and water-conserving shower heads.
- ND-18. Install Energy Star appliances and energy efficient fixtures.
- ND-19. Install all CFL or LED light bulbs.
- ND-20. Install common area electric vehicle charging station(s) and secure bicycle racks.

Renewable Energy Measures

- ND-21. To reduce the project's energy use from the grid:
- Install solar panels sufficient to heat water within the project, and/or
 - Install solar panels sufficient to provide electric power for the project, and/or
 - Install photovoltaic systems sufficient to heat water within the project, and/or
 - Install photovoltaic systems sufficient to provide electric power for the project, and/or
 - Install other clean energy system sufficient to heat water within the project, and/or
 - Install other clean energy system sufficient to provide electric power for the project.
 - Install wind energy systems on properties greater than 2 acres.
- ND-22. Install solar or photovoltaic systems on new roofs whether on residential, commercial or industrial buildings.
- ND-23. Use on-site generated bio-gas in appropriate applications.
- ND-24. Install combined heat and power facilities in appropriate applications.
- ND-25. Specify rubberized and/or recycled asphalt for roads and driveways to the extent economically viable.

Solid Waste Management Measures

- ND-26. Recycle and/or salvage non-hazardous construction and demolition waste, and develop and implement a construction waste management plan quantifying the reduction in the waste stream.
- ND-27. Reuse construction waste in project features (e.g. shattered concrete or asphalt can be ground and used in walkways and parking lots).
- ND-28. Facilitate the reduction of waste generated by building occupants that is hauled to and disposed of in landfills by providing easily accessible areas that serve each building and are dedicated to the collection and storage of paper, cardboard, glass, plastics, and metals.
- ND-29. Provide educational information to residents addressing energy efficiency, solid waste reduction, and water conservation measures.

D. Quantified Reductions

Specific reduction levels have been quantified based on the general measures listed above. Given that not all measures can be quantified, and many of the aforementioned measures will result in GHG reductions, the quantifiable reductions listed below are considered conservative.

To achieve quantifiable reductions the energy demand from electricity and natural gas use must be decreased, combustion of fuels from transportation must become more efficient, and disposal of waste to landfills must be lessened. There are numerous methods to achieve reductions from each of these sectors. The general approach taken in this action plan are described below, followed by the specific measures and assumptions set forth to achieve the reduction target.

GHG reductions to energy use can be achieved through remodeling and retrofitting existing structures, upgrading existing electric and natural gas appliances, and reducing energy use. New development can be constructed to require very little energy through building design, the use of energy efficient appliances, and use of sustainable materials.

To achieve GHG reduction from the transportation sector the Town intends to a) implement policies that reduce dependence on personal motor vehicles and encourage alternative modes of transportation, such as public transit, cycling, and walking; b) utilize vehicles that release fewer greenhouse gases, such as hybrids, more fuel efficient vehicles, and vehicles that run on alternative fuels; and c) encourage ‘smart growth’ or policies that promote efficient land use development, such as reduce the need to travel long distances, facilitate transit and other non-automotive travel, increase the availability of affordable housing, employ existing infrastructure capacity, promotes social equity, helps protect natural assets, and maintain and reinforce existing communities.

Residential and commercial recycling and composting, buying recycled products, green building and demolition practices, and Desert Friendly Landscaping play an important role in reducing emissions from the solid waste sector. Emission reductions from solid waste can be achieved by reducing the quantity of the waste stream. Avoiding disposal to landfills by increasing recycling and composting are effective ways to achieve landfill diversion targets.

1. Community

Measures are divided into the following sectors: residential, commercial, industrial, transportation, streetlights, water and sewer, and solid waste management.¹²

¹² Waste Management is used in the broader sense to include, waste reduction, recycling, composting and final disposal activities.

Measure Number	Measure Type	Measure Name	Assumptions	Sector	CO ₂ e Reductions (tons)
CO-16 CO-17 MO-35	Change in Energy Source	Expand Rooftop Solar	Rooftop solar and renewable energy production is expanded to replace 28,622,872 kwh annually. Equates to 15% of forecast 2020 electricity after accounting for new home efficiency and existing home upgrades (ND-13 and MO-32).	Residential	15,531
ND-13 ND-15	Energy Efficiency: Appliances and Equipment	New Homes Natural Gas Efficiency	5,500 homes built after 2010 save 18% (2,409,304 them) of overall natural gas use due to energy efficient appliances that reduce natural gas use to 438 therms per year compared to 2,925,687 therms (531.9 therms per home) under BAU conditions.	Residential	8,210
MO-32 MO-33 MO-34	Energy Efficiency: Appliances and Equipment	Upgrade Existing Home Appliances	Upgrades result in the following savings, 25% from TV, 50% from lighting, 5% from water heating, 13% from central AC, and 15% from refrigerators and freezers. Upgrading 22,453 home (the number of homes constructed before 2005 per DOF) would save 41,776,350 kwh per year.	Residential	22,668
MO-32 MO-33 MO-34	Energy Efficiency: Appliances and Equipment	Upgrade Natural Gas Appliances	Upgrades result in the following savings, 12% for water heaters, 11% space heaters, and 10% for clothes dryers that have moisture sensing. Upgrading 22,453 homes would result in an annual savings of 2,108,067 therms.	Residential	33,515
ND-13 ND-15	Energy Efficiency: Buildings	New Homes Efficiency	Homes built after 2010 are 20% more efficient than Title 24. Assumes that a typical Title 24 home uses 6,000 kwh per year, a 20% more efficient home uses 4,800 kwh per year. Under BAU 5,500 homes would have generated 49,436,585 kwh per year (8,988.47 kwh per home) compared to 23,036,585 kwh per year for efficient homes.	Residential	12,500

Measure Number	Measure Type	Measure Name	Assumptions	Sector	CO ₂ e Reductions (tons)
CO-7 through CO-15 MO-22, MO-23 MO-27 MO-37	Energy Efficiency: Buildings	Existing Account Retrofit and Upgrade (Electric)	Replacing failing or failed fixtures and appliances with energy efficient models, installing cool roofs, weatherization of structures (calking, weather-stripping, double-pane, windows, and insulation), and use of solar panels or photovoltaic achieve an overall reduction in electricity demand for 301 existing accounts of 39,890,326 kwh by 2020.	Commercial	21,645
CO-7 CO-8 CO-9 through CO-15 MO-22 MO-23 MO-27 MO-28 MO-37	Energy Efficiency: Buildings	Existing Account Retrofit and Upgrade (Natural Gas)	Replacing appliances with energy efficient models, installing cool roofs, and weatherizing structures to reduce heat and cooling costs for 198 accounts (average of all commercial accounts for 2005) will achieve an overall reduction in the natural gas usage rate of 10%. On average a commercial account uses 6,299 therms of natural gas per year, if 198 existing commercial accounts reduce their natural gas usage by 629.9 therms (10%) then a total of 124,720 therms will be saved.	Commercial	1,983
ND-14 ND-16 ND-21	Energy Efficiency: Buildings	Net-Zero Commercial	20 (25%) new commercial accounts in 2020 are net zero users of electricity, saving 5,301,040 kwh of electricity compared to BAU.	Commercial	2,876
ND-8 ND-14	Energy Efficiency: Buildings	Whole Building Electric	61 (75%) new commercial accounts in 2020 use 50% less electricity compared to BAU, a savings of 8,084,086 kwh of electricity.	Commercial	4,387
ND-8 ND-14	Energy Efficiency: Buildings	Whole Building Natural Gas	119 new commercial accounts in 2020 use 50% less natural gas compared to BAU, a savings of 374,790 therms.	Commercial	5,959
CO-7 through CO-15	Energy Efficiency: Buildings	Existing Retrofit and Upgrade (Electric)	Compared to BAU retrofitting 1,848 industrial accounts to achieve 50% savings in electricity demand results in an annual savings of 6,899,508 kwh.	Industrial	3,744

Measure Number	Measure Type	Measure Name	Assumptions	Sector	CO ₂ e Reductions (tons)
CO-7 through CO-15	Energy Efficiency: Buildings	Existing Account Retrofit and Upgrade (Natural Gas)	On average an industrial account uses 171,528 therms of natural gas per year. Reducing this use by 10% (17,153) therms will save a total of 34,306 therms compared to BAU.	Industrial	545
ND-14 ND-16 ND-21	Energy Efficiency: Buildings	Net-Zero Industrial	124, new accounts are built and equipped to be net zero facilities, then 925,908 kwh of electricity will be saved compared to BAU.	Industrial	502
ND-14	Energy Efficiency: Buildings	Whole Building Electric	373 (75%) new industrial accounts in 2020 use 50% less electricity compared to BAU, a savings of 1,395,595.5 kwh per year.	Industrial	756
ND-14	Energy Efficiency: Buildings	Whole Building Natural Gas	New industrial accounts use 50% less natural gas compared to BAU, a savings of 56,604 therms.	Industrial	900
MO-9	Change in Fuel Type or Technology	Heavy Trucks Fuel Economy	Heavy trucks equipped with advanced diesel engines increase fuel economy by 20%, bringing the fuel efficiency from 5.6 miles (BAU) per gallon to 6.72 miles per gallon for heavy trucks.	Transportation	16,168
MO-9 MO-11	Other VMT Reduction	Signal Synchronization for Heavy Trucks	Town-wide signal synchronization measure would increase fuel efficiency by 12% for all heavy trucks. 42,229,292 vehicle miles (after accounting for reduction in miles from land use efficiencies) achieve a 12% increase in fuel efficiency from 6.7 miles per gallon to 7.5 miles per gallon.	Transportation	7,267
MO-12 MO-14 MO-36 CO-4	Change in Fuel Type or Technology	Use CNG for Transit Bus	All transit bus miles (2,030,254 miles) operating on diesel fuel, with a fuel efficiency of 5.6 miles per gallon, are replaced with CNG fuel with a fuel efficiency of 6.9 miles per gallon.	Transportation	1,588

Measure Number	Measure Type	Measure Name	Assumptions	Sector	CO ₂ e Reductions (tons)
MO-12 CO-1 CO-4	Increase Fuel Efficiency	Elevate Number of Fuel Efficient Vehicles	Vehicle fleet averages 26.9 miles per gallon. 50% of the vehicle fleet (361,109,270 vehicle miles) is replaced with fuel efficient models that achieve an average of 46 miles per gallon. ¹³	Transportation	57,456
ND-1 through ND-6	Land Use Related	Mixed Use Reduces Miles for Heavy Trucks	The total miles traveled for heavy trucks using diesel, with a fuel economy of 6.72 miles, are reduced by 20%, a savings of 10,557,323 miles.	Transportation	17,145
ND-1, through ND-6 MO-1 through MO-5	Land Use Related	Mixed Use Reduces Miles for Passenger Vehicles ¹⁴	The total miles traveled for passenger vehicles, with a fuel economy of 26.9 miles, are reduced by 20%, a savings of 108,554,635 miles. (Accounts for reduction in miles from ridesharing, transit, and alternative modes of transport.)	Transportation	73,049
MO-16 MO-17 MO-19 CO-3 CO-5 ND-12	Other VMT Reduction	Rideshare at Businesses	5% (864) of the projected 2020 employees (17,282) participate. An average employee travels 23 miles to and from work, 5 days a week, or 5,520 passenger miles per year. Ridesharing replaces 4,769,832 passenger miles traveled by single occupancy vehicles with an occupancy rate of 5 employees per vehicle. The rideshare vehicle achieves an average of 26.95 miles per gallon, compared to 18.4 miles per gallon under BAU. ¹⁵	Transportation	2,395

¹³ The community vehicle fleet (excluding heavy truck and transit bus) will generate a total of 722,218,540 vehicle miles in 2020 (after accounting for reduced miles from walking/biking, use of transit, ridesharing, and reduced miles from land use efficiencies. According to the California Energy Commission the average fuel economy of a passenger vehicle is 46 miles per gallon for hybrids.

¹⁴ Passenger Vehicles includes full, mid, and sub-size autos, and light trucks. Includes both diesel and gasoline operated vehicles.

¹⁵ 4.769 million passenger miles at single occupancy equates to 2.981 million vehicle miles at an occupancy factor of 1.6.

Measure Number	Measure Type	Measure Name	Assumptions	Sector	CO ₂ e Reductions (tons)
MO-9 MO-11	Other VMT Reduction	Signal Synchronization for Passenger Vehicles	Town-wide signal synchronization measure would increase fuel efficiency by 12% for all passenger vehicles. 722,218,540 vehicle miles (after accounting for reduction in miles from ridesharing, transit, alternative modes of transport, and land use efficiencies) achieve a 12% increase in fuel efficiency from 26.9 miles per gallon to 30.2 miles per gallon.	Transportation	29,730
MO-9 MO-11	Other VMT Reduction	Signal Synchronization for Transit Bus	Town-wide signal synchronization measure would increase fuel efficiency by 12% for all transit buses. 2,030,254 vehicle miles achieve a 12% increase in fuel efficiency from 6.9 miles per gallon to 7.7 miles per gallon.	Transportation	235
MO-9 MO-11	Other VMT Reduction	Signal Synchronization for Motorcycles	Town-wide signal synchronization measure would increase fuel efficiency by 12% for all motorcycles. 4,060,509 vehicle miles achieve a 12% increase in fuel efficiency from 25.4 miles per gallon to 28.4 miles per gallon.	Transportation	177
MO-4 MO-5 MO-20 CO-6	Switch to Public Transport	Free Transit Pass	5% (864) of the projected 2020 employees (17,282) participate. An average employee travels 23 miles to and from work, 5 days a week, or 5,520 passenger miles per year. Use of transit bus replaces 4,769,832 passenger miles traveled by single occupancy vehicles with an occupancy rate of 6.9 per transit bus operating on CNG. ¹⁶	Transportation	2,265

¹⁶ 4.769 million passenger miles at single occupancy equates to 2.981 million vehicle miles at an occupancy factor of 1.6.

Measure Number	Measure Type	Measure Name	Assumptions	Sector	CO ₂ e Reductions (tons)
ND-11 MO-10	Walking/Biking	Alternative Mode of Transport	Expanded walking/biking infrastructure and promotion there of shift 47,514,378, 5% of vehicle miles traveled 902,773,174 by all passenger vehicles (excluding motorcycles, heavy trucks, and transit buses) to bicycle or walking.	Transportation	27,706
CO-16 CO-18 ND-19	Use of Solar	Green Energy for Streetlights	Switch 50% of demand from typical grid mix to green energy.	Streetlight	870
CO-16 CO-18 ND-21	Change in Energy Source	Green Energy for Pumping	Replace 75% of demand (after accounting for upgraded equipment) from typical grid mix to green energy.	Water/Sewage	6,343
CO-15 ND-17	Energy Efficiency: Equipment and Lighting	Upgrade and Install New Equipment	Replace older pumps and install new more efficient pumps. Achieved an overall reduction of 5% of forecast demand.	Water/Sewage	445
MO-40 MO-41 CO-19 CO-20	Avoided Disposal to Landfill	Increase Recycling of Paper Products	20% (7,292 tons) of paper products are recycled rather than disposed of in a landfill.	Solid Waste	27,066
CO-18	Avoided Disposal to Landfill	Compost Food Waste	20% (2,494.6 tons) of food waste are composted rather than disposed of in a landfill.	Solid Waste	2,315

2. Municipal-Specific

Measures are divided into the following sectors: buildings, streetlight, transportation¹⁷, water and sewer, and solid waste management.

Measure Number	Measure Type	Measure Name	Assumptions	Sector	CO ₂ e Reductions (tons)
CO-16 CO-17 MO-27 MO-35	Change in Energy Source	Rooftop and Above Parking Solar	Half of all municipal building' energy demand will be met through on-roof and above parking solar. (accounts for energy reductions from 15% savings)	Buildings	194
MO-22 MO-23 MO-27 MO-28 ND-13	Energy Efficiency: Buildings	Reduce Electricity Demand	Overall municipal buildings will use 15% less energy compared to BAU as a result of new building design, upgrades to efficient appliances, and retrofit and weatherization of existing buildings. 63,150.5 kwh will be avoided.	Buildings	69
MO-22 ND-13 ND-15	Energy Efficiency: Buildings	Reduce Natural Gas Use	On average municipal buildings will use 15% less natural gas compared to BAU. 15,456 therms will be avoided.	Buildings	246
MO-12 CO-4	Change in Fuel Type	Replace Diesel with B20	1,586 gallons of diesel is replaced with a B-20 blend.	Vehicle Fleet	3
MO-12 MO-13 CO-4	Change in Fuel Type	Replace Gasoline Vehicles with B20	14,005 gallons of diesel is replaced with a B-20 blend.	Vehicle Fleet	144
MO-12 MO-13 CO-4	Change in Fuel Type	Replace Gas Vehicles with Fuel Efficient Models	5,777 gallons are gasoline are avoided by replacing older fleet vehicles with fuel efficient models.	Vehicle Fleet	62

¹⁷ Transportation accounts for vehicles from employee commutes, the Town's vehicle fleet, and the Police Fleet.

Measure Number	Measure Type	Measure Name	Assumptions	Sector	CO ₂ e Reductions (tons)
MO-19 CO-3 CO-5	Car/Van Pooling	Municipal Rideshare	5 employees participate in a rideshare program saving 22,080 vehicle miles and use a fuel efficient vehicle that achieved 26.9 miles to the gallon.	Employee Commute	14
MO-20 CO-6	Switch to Public Transport	Public Transit	5 employees use the public transit system to travel to and from work save 27,600 vehicle miles.	Employee Commute	16
CO-4	Increase in Fuel Efficiency	Improve Fleet MPG	On average an employees passenger vehicle used for work commute achieves 32.2 mpg. Applied to 696,320 vehicle miles traveled (accounts for reductions from rideshare and transit).	Employee Commute	168
MO-9 MO-11	Increase in Fuel Efficiency	Signal Synchronization	On average vehicles achieve an additional 3.864 miles per gallon due to efficiencies gained from signal synchronization. 696,320 miles achieve 36.1 mpg rather than 32.2 mpg.	Employee Commute	24
CO-7 MO-31	Change in Energy Source	Streetlights and Traffic Signals	50% of electricity used for streetlights and traffic signals will come from solar electricity, 349,116.5 kwh.	Streetlight	189
MO-25 MO-38	Change in Energy Source	Use Solar for Pumping	20% of 2020 kwh used for pumping is generated by green electricity, such as solar.	Water/Sewage	146
MO-25 MO-38	Energy Efficiency: Equipment and Lighting	Use Solar for Upgrade/Install Efficient Pumps	18,908 kwh are avoided through installation of new and more efficient pumps including replacing existing pumps with efficient models.	Water/Sewage	10
MO-40 MO-41 CO-19	Avoided Disposal to Landfill	Increase Recycling of Paper Products	20% (9.3 tons) of paper products are recycled rather than disposed of in a landfill.	Solid Waste	47
CO-18 ND-28	Avoided Disposal to Landfill	Compost Food Waste	20% (3.2 tons) of food waste are composted rather than disposed of in a landfill.	Solid Waste	3
ND-28 ND-29	Avoided Disposal to Landfill	Recycle Misc. Waste	20% (8.5 tons) of mixed general waste is recycled	Solid Waste	32
MO-42	Avoided Disposal to Landfill	Reuse Crate Transport	20% of wood waste is avoided by replacing transport wood crates with reusable crates	Solid Waste	2

E. GHG Reduction Summary

The Town of Apple Valley may choose to implement a number of policies and programs intended to reduce emissions from greenhouses gases. The purpose of this Plan is to show those measure types and target quantities that are likely to be most effective. A necessary consideration when weighing the effectiveness of each measure is cost of implementation, which is not accounted for in this Climate Action Plan. The above list of quantifiable reduction measures shows that with an aggressive schedule the targeted 15% reduction below 2005 levels can be realized by 2020.

1. Community-wide

In the event that all of the reduction measures set forth above were implemented by 2020 and resulted in the projected reduction quantities then the community-wide greenhouse emissions, would be reduced by 407,941 tons of CO₂e. Under the business as usual conditions, GHG emissions are projected to be 1,009,562 tons of CO₂e in 2020. A reduction of 407,941 ton of CO₂e exceeds the 15% reduction target, bringing the 2020 emission level to 602,071 tons of CO₂e with implementation of this CAP.

2. Municipal-Specific

In the event that all of the reduction measures set forth above were implemented by 2020 and resulted in the projected reduction quantities, then the municipal-specific greenhouse emissions would be reduced by 1,369 tons of CO₂e. Under the business as usual conditions, GHG emissions are projected to be 3,132 tons of CO₂e in 2020. A reduction of 1,369 ton of CO₂e exceeds the 15% reduction target, bringing the 2020 emission level to 1,763 tons of CO₂e with implementation of this CAP.

Appendix A
CACP Output Tables

TOWN OF APPLE VALLEY
DRAFT CLIMATE ACTION PLAN

Appendix A

CACP Software Reports

Community Baseline 2005

Climate Action Plan Appendix A

The following tables show ICLEI's Clean Air and Climate Protection Software Output data for the Town of Apple Valley including community-wide and municipal-specific analysis.

Although the CACP Software includes streetlight and sewer/water (pumping) sectors solely in the municipal (government) analysis, for purposes of this Climate Action Plan these sectors are presented in the community analysis. This approach was taken due to the local condition where there are numerous non-government SCE accounts held for each of these sectors. Those municipal-specific accounts for streetlight and sewer/water (pumping) sectors are included as part of the government analysis, which is in keeping with the subset approach used throughout the Climate Action Plan. That is, the municipal inventory is a subset of the community-wide inventory.

All other government sectors are presented within the municipal analysis and, as mentioned above, are a subset of the community analysis.

The following tables contain summary data and detailed reports by Community and Municipal operations for:

Community

- the 2005 baseline
- the 2020 forecast
- reduction measures

Government

- the 2005 baseline
- the 2020 forecast
- reduction measures

TOWN OF APPLE VALLEY
DRAFT CLIMATE ACTION PLAN

Appendix A

CACP Software Reports

Community Baseline 2005

**Apple Valley
Community Greenhouse Gas Emissions in 2005
Summary Report**

	Equiv CO₂ (tons)	Equiv CO₂ (%)	Energy (therms)
Residential	141,417	18.9%	18,319,932
Commercial	38,039	5.1%	4,297,872
Industrial	7,118	1.0%	830,519
Transportation	510,676	68.2%	59,526,361
Streetlights	1,386	0.2%	133,302
Pumping	5,955	0.8%	572,828
Waste	43,932	5.9%	
Total	748,524	100.0%	83,680,814

Community Greenhouse Gas Emissions in 2005

Detailed Report

	Equiv CO ₂ (tons)	Equiv CO ₂ (%)	Energy (therms)
Residential			
Apple Valley, California			
<i>Residential</i>			
Electricity	69,408	9.4	6,676,228
Natural Gas	71,522	9.6	11,576,524
Propane	486	0.1	67,179
Subtotal Residential	141,417	19.1	18,319,932
Propane usage is the difference between the number of account reported by Southwest Gas and the number of households in 2005. Assumes that an average household relying only on propane uses 1,000 gallon per year.			
Subtotal Residential	141,417	19.1	18,319,932
Commercial			
Apple Valley, California			
<i>Commercial</i>			
Electricity	28,308	3.8	2,722,894
Natural Gas	9,731	1.3	1,574,978
Subtotal Commercial	38,039	5.1	4,297,872
Subtotal Commercial	38,039	5.1	4,297,872
Industrial			
Apple Valley, California			
<i>Industrial</i>			
Electricity	4,896	0.7	470,972
Natural Gas	2,221	0.3	359,547
Subtotal Industrial	7,118	1.0	830,519
Subtotal Industrial	7,118	1.0	830,519
Transportation			
Apple Valley, California			
<i>Town-wide VMT</i>			
Gasoline	422,335	57.0	49,348,280
Diesel	88,341	11.9	10,178,081
Subtotal Town-wide VMT	510,676	68.9	59,526,361

Community Greenhouse Gas Emissions in 2005

Detailed Report

Equiv CO₂
(tons)

Equiv CO₂
(%)

Energy
(therms)

Per the Traffic Analysis prepared for AV's General Plan total vehicle trips are 293,152 per day. Using ITE's standards for average trip length per trip type a daily total of 2,128,193 miles and 776.79 million miles per year.

Subtotal Transportation	510,676	68.9	59,526,361
--------------------------------	---------	------	------------

Waste

Apple Valley, California

Solid Waste

Disposal Method - Managed Landfill

Paper Products	34,779	4.7	
Food Waste	11,105	1.5	
Plant Debris	-1,220	-0.2	
Wood/Textiles	-732	-0.1	
Subtotal Solid Waste	43,932	5.9	

Modify waste in place, get total tonnage contributed by AV.

Subtotal Waste	43,932	5.9	
-----------------------	--------	-----	--

Total	741,181	100.0	82,974,683
--------------	---------	-------	------------

TOWN OF APPLE VALLEY
DRAFT CLIMATE ACTION PLAN

Appendix A

CACP Software Reports
Government Baseline 2005

**Apple Valley
Government Greenhouse Gas Emissions in 2005
Summary Report**

	Equiv CO₂ (tons)	Equiv CO₂ (%)	Energy (therms)
Buildings	801	37.5%	109,948
Vehicle Fleet	619	29.0%	72,356
Employee Commute	347	16.2%	40,514
Streetlights	193	9.0%	18,539
Water/Sewage	106	5.0%	10,172
Waste	71	3.3%	
Total	2,138	100.0%	251,529

Government Greenhouse Gas Emissions in 2005

Detailed Report

	Equiv CO ₂ (tons)	Equiv CO ₂ (%)	Energy (therms)	Cost (\$)
Buildings				
Apple Valley, California				
<i>Municipal Buildings and Facilities</i>				
Electricity	299	3.2	28,737	0
Natural Gas	502	5.3	81,211	0
<i>Subtotal Municipal Buildings and Facilities</i>	801	8.4	109,948	0
Subtotal Buildings	801	8.4	109,948	0
Vehicle Fleet				
Apple Valley, California				
<i>Municipal Town Fleet</i>				
Gasoline	230	2.4	26,920	0
Diesel	26	0.3	2,961	0
<i>Subtotal Municipal Town Fleet</i>	256	2.7	29,882	0
Assumes 21,433 gallons per year of gasoline and 2,427 gallon of diesel.				
<i>Police Department</i>				
Gasoline	364	3.8	42,474	0
<i>Subtotal Police Department</i>	364	3.8	42,474	0
Subtotal Vehicle Fleet	619	6.5	72,356	0
Employee Commute				
Apple Valley, California				
<i>Municipal Trips</i>				
Gasoline	347	3.7	40,514	
<i>Subtotal Municipal Trips</i>	347	3.7	40,514	
Assumes 104 employees in 2005 traveling an average of 23 miles roundtrip for a total daily miles of 2,392 and a total annual miles of 570,928.				
Subtotal Employee Commute	347	3.7	40,514	

Government Greenhouse Gas Emissions in 2005

Detailed Report

	Equiv CO ₂ (tons)	Equiv CO ₂ (%)	Energy (therms)	Cost (\$)
Streetlights				
Apple Valley, California				
<i>Municipal Streetlight</i>				
Electricity	193	2.0	18,539	0
Subtotal Municipal Streetlight	193	2.0	18,539	0
Town owned accounts for traffic signals and streetlights total 543,201 kwh according to data provided by SCE.				
<i>Town-wide Streetlights and Traffic Signals</i>				
Electricity	1,386	14.6	133,302	0
Subtotal Town-wide Streetlights and Traffic Signals	1,386	14.6	133,302	0
Above figure shows Town-wide energy usage for operation of streetlights and traffic signals per SCE Report. Includes municipal accounts. For analysis purposes the Town-wide figure is included in the Community discussion.				
Subtotal Streetlights	1,579	16.7	151,841	0
Water/Sewage				
Apple Valley, California				
<i>Municipal Pumping</i>				
Electricity	106	1.1	10,172	0
Subtotal Municipal Pumping	106	1.1	10,172	0
Represents pumping facilities owned by the Town. SCE provided summary data on all Town-accounts.				
<i>Town-wide Pumping</i>				
Electricity	5,955	62.8	572,828	0
Subtotal Town-wide Pumping	5,955	62.8	572,828	0
Above figure shows SCE Report for all pumping Town-wide and includes 298,043 kwh for municipal accounts owned by the Town. For analysis purposes the Town-wide figure is included in the Community discussion.				
Subtotal Water/Sewage	6,061	64.0	583,000	0

Government Greenhouse Gas Emissions in 2005

Detailed Report

	Equiv CO ₂ (tons)	Equiv CO ₂ (%)	Energy (therms)	Cost (\$)
Waste				
Apple Valley, California				
<i>Municipal Waste</i>				<i>Disposal Method - Managed Landfill</i>
Paper Products	56	0.6		0
Food Waste	18	0.2		0
Plant Debris	-2	0.0		0
Wood/Textiles	-1	0.0		0
Subtotal Municipal Waste	71	0.7		0
Municipal Contribution to Apple Valley's total tonage was obtained by multiplying the per person solid waste generation rate of 1.186 by the 2005 estimated # of Town employees 104.				
Subtotal Waste	71	0.7		0
Total	9,477	100.0	957,660	0

TOWN OF APPLE VALLEY
DRAFT CLIMATE ACTION PLAN

Appendix A

CACP Software Reports

Community Forecast 2020

**Apple Valley
Community Greenhouse Gas Emissions in 2020
Summary Report**

	Equiv CO₂ (tons)	Equiv CO₂ (%)	Energy (therms)
Residential	232,812	23.1%	23,940,903
Commercial	67,275	6.7%	5,453,296
Industrial	12,319	1.2%	1,053,792
Transportation	627,170	62.1%	73,201,343
Streetlights	2,689	0.3%	169,139
Pumping	11,555	1.1%	726,825
Waste	55,742	5.5%	
Total	1,009,562	100.0%	104,545,298

Community Greenhouse Gas Emissions in 2020

Detailed Report

	Equiv CO ₂ (tons)	Equiv CO ₂ (%)	Energy (therms)
Residential			
Apple Valley, California			
<i>Residential</i>			
Electricity	138,709	13.9	8,724,647
Natural Gas	93,467	9.4	15,128,464
Propane	635	0.1	87,792
<i>Subtotal Residential</i>	232,812	23.4	23,940,903
Propane usage is the difference between the number of account reported by Southwest Gas and the number of households in 2005. Assumes that an average household relying only on propane uses 1,000 gallon per year.			
Subtotal Residential	232,812	23.4	23,940,903
Commercial			
Apple Valley, California			
<i>Commercial</i>			
Electricity	54,928	5.5	3,454,907
Natural Gas	12,346	1.2	1,998,389
<i>Subtotal Commercial</i>	67,275	6.8	5,453,296
Subtotal Commercial	67,275	6.8	5,453,296
Industrial			
Apple Valley, California			
<i>Industrial</i>			
Electricity	9,501	1.0	597,586
Natural Gas	2,819	0.3	456,206
<i>Subtotal Industrial</i>	12,319	1.2	1,053,792
Subtotal Industrial	12,319	1.2	1,053,792
Transportation			
Apple Valley, California			
<i>Town-wide VMT</i>			
Gasoline	512,003	51.4	59,932,335
Diesel	115,168	11.6	13,269,008
<i>Subtotal Town-wide VMT</i>	627,170	63.0	73,201,343

Community Greenhouse Gas Emissions in 2020

Detailed Report

Equiv CO₂
(tons)

Equiv CO₂
(%)

Energy
(therms)

Per the Traffic Analysis prepared for AV's General Plan total vehicle trips are 293,152 per day. Using ITE's standards for average trip length per trip type a daily total of 2,128,193 miles and 776.79 million miles per year.

Subtotal Transportation

627,170

63.0

73,201,343

Waste

Apple Valley, California

Solid Waste

Disposal Method - Managed Landfill

Paper Products

44,129

4.4

Food Waste

14,090

1.4

Plant Debris

-1,548

-0.2

Wood/Textiles

-929

-0.1

Subtotal Solid Waste

55,742

5.6

Does not account for Waste in Place.

Subtotal Waste

55,742

5.6

Total

995,318

100.0

103,649,334

TOWN OF APPLE VALLEY
DRAFT CLIMATE ACTION PLAN

Appendix A

CACP Software Reports

Government Forecast 2020

**Apple Valley
Government Greenhouse Gas Emissions in 2020
Summary Report**

	Equiv CO₂ (tons)	Equiv CO₂ (%)	Energy (therms)
Buildings	1,216	38.8%	139,506
Vehicle Fleet	807	25.8%	94,557
Employee Commute	435	13.9%	50,931
Streetlights	379	12.1%	23,830
Water/Sewage	206	6.6%	12,907
Waste	90	2.9%	
Total	3,132	100.0%	321,731

Government Greenhouse Gas Emissions in 2020

Detailed Report

	Equiv CO ₂ (tons)	Equiv CO ₂ (%)	Energy (therms)	Cost (\$)
Buildings				
Apple Valley, California				
<i>Municipal Buildings and Facilities</i>				
Electricity	580	3.3	36,463	0
Natural Gas	637	3.7	103,043	0
<i>Subtotal Municipal Buildings and Facilities</i>	1,216	7.0	139,506	0
Assumes an annual growth rate of 1.6% from 2005.				
Subtotal Buildings	1,216	7.0	139,506	0
Vehicle Fleet				
Apple Valley, California				
<i>Municipal Town Fleet</i>				
Gasoline	299	1.7	35,180	0
Diesel	34	0.2	3,870	0
<i>Subtotal Municipal Town Fleet</i>	333	1.9	39,050	0
Assumes an annual increase of 1.8% from 2005 to 2020.				
<i>Police Department</i>				
Gasoline	474	2.7	55,506	0
<i>Subtotal Police Department</i>	474	2.7	55,506	0
Assumes an annual increase of 1.8% from 2005.				
Subtotal Vehicle Fleet	807	4.6	94,557	0
Employee Commute				
Apple Valley, California				
<i>Municipal Trips</i>				
Gasoline	435	2.5	50,931	
<i>Subtotal Municipal Trips</i>	435	2.5	50,931	
Assumes an annual increase in waste disposal of 1.8% from 2005.				
Subtotal Employee Commute	435	2.5	50,931	

Government Greenhouse Gas Emissions in 2020 Detailed Report

	Equiv CO ₂ (tons)	Equiv CO ₂ (%)	Energy (therms)	Cost (\$)
Streetlights				
Apple Valley, California				
<i>Municipal Street Lights and Traffic Signals</i>				
Electricity	379	2.2	23,830	0
<i>Subtotal Municipal Street Lights and Traffic Signals</i>	379	2.2	23,830	0
<i>Town-wide Streetlights and Traffic Signals</i>				
Electricity	2,689	15.5	169,139	0
<i>Subtotal Town-wide Streetlights and Traffic Signals</i>	2,689	15.5	169,139	0
Assumes an annual increase in street light and traffic signals of 1.6% from 2005.				
Subtotal Streetlights	3,068	17.7	192,969	0
Water/Sewage				
Apple Valley, California				
<i>Municipal Pumping</i>				
Electricity	205	1.2	12,907	0
<i>Subtotal Municipal Pumping</i>	205	1.2	12,907	0
<i>Town-wide Pumping</i>				
Electricity	11,555	66.5	726,825	0
<i>Subtotal Town-wide Pumping</i>	11,555	66.5	726,825	0
Assumes an annual increase in waste disposal of 1.6% from 2005.				
Subtotal Water/Sewage	11,761	67.7	739,732	0
Waste				
Apple Valley, California				
<i>Municipal Waste</i>				
			<i>Disposal Method - Managed Landfill</i>	
Paper Products	71	0.4		0
Food Waste	23	0.1		0
Plant Debris	-3	0.0		0
Wood/Textiles	-2	0.0		0
<i>Subtotal Municipal Waste</i>	90	0.5		0
Assumes an annual increase in waste disposal of 1.6				

Government Greenhouse Gas Emissions in 2020

Detailed Report

	Equiv CO ₂ (tons)	Equiv CO ₂ (%)	Energy (therms)	Cost (\$)
Subtotal Waste	90	0.5		0
Total	17,377	100.0	1,217,694	0

TOWN OF APPLE VALLEY
DRAFT CLIMATE ACTION PLAN

Appendix A

CACP Software Reports
Community Reduction Measures 2020

**Apple Valley
Community Greenhouse Gas Emissions Reductions in 2020
Target Year Measures Summary**

	Equiv CO₂ (tons)	Equiv CO₂ (%)	Energy (therms)
Residential	92,425	22.7%	4,836,497
Commercial	36,849	9.0%	2,317,785
Industrial	6,447	1.6%	405,518
Transportation	235,181	57.7%	27,603,666
Streetlights	870	0.2%	
Pumping	6,788	1.7%	27,996
Waste	29,381	7.2%	
Total	407,941	100.0%	35,191,462

Apple Valley

Community Greenhouse Gas Emissions Reductions in 2020 Target Year Measures Detailed Report

	Equiv CO ₂ (tons)	Equiv CO ₂ (%)	Energy (therms)	Energy Cost Savings (\$)
Residential Sector				
Apple Valley, California				
<i>Change in Energy Source</i>				
Expand Rooftop Solar and	15,531	3.9	0	0
<i>Energy Efficiency: Appliances and Equipment</i>				
New Homes Natural Gas	8,210	2.1	516,384	0
Upgrade Existing Home	22,668	5.7	1,425,814	0
Upgrade Natural Gas	33,515	8.4	2,108,067	0
<i>Energy Efficiency: Buildings</i>				
New Home Efficiency (ND-	12,500	3.1	786,232	0
Subtotal Residential	92,425	23.1	4,836,497	0
Commercial Sector				
Apple Valley, California				
<i>Energy Efficiency: Buildings</i>				
Existing Accounts Retrofit	21,645	5.4	1,361,445	0
Existing Accounts Retrofit	1,983	0.5	124,720	0
Net-Zero Commercial (ND-	2,876	0.7	180,923	0
Whole Building Energy	4,387	1.1	275,907	0
Whole Building Natural Gas	5,959	1.5	374,790	0
Subtotal Commercial	36,849	9.2	2,317,785	0
Industrial Sector				
Apple Valley, California				
<i>Energy Efficiency: Buildings</i>				
Existing Accounts Retrofit	3,744	0.9	235,478	0
Existing Accounts Retrofit	545	0.1	34,306	0
Net-Zero Industrial(ND-14)	502	0.1	31,601	0
Whole Building Energy	756	0.2	47,529	0

Apple Valley

Community Greenhouse Gas Emissions Reductions in 2020 Target Year Measures Detailed Report

	Equiv CO ₂ (tons)	Equiv CO ₂ (%)	Energy (therms)	Energy Cost Savings (\$)
Whole Building Natural Gas	900	0.2	56,604	0
Subtotal Industrial	6,447	1.6	405,518	0
Transportation Sector				
Apple Valley, California				
<i>Change in Fuel Type or Technology</i>				
Heavy Trucks Fuel	16,168	4.0	1,881,641	0
Use CNG for Transit Bus	1,588	0.4	83,870	0
<i>Increase in Fuel Efficiency</i>				
Increase the Number of Fuel	57,456	14.4	6,969,730	0
<i>Land Use Related</i>				
Mixed Use Diesel (ND-1)	17,145	4.3	1,973,256	0
Reduce Miles Traveled	73,049	18.2	8,414,897	0
<i>Other VMT Reduction</i>				
Rideshare at Businesses	2,395	0.6	281,139	0
Signal Synchronization (MO-	29,730	7.4	3,606,384	0
Signal Synchronization for	7,267	1.8	845,681	0
Signal Synchronization for	235	0.1	38,083	0
Signal Synchronization	177	0.0	21,501	0
<i>Switch to Public Transport</i>				
Free Transit Pass (MO-20)	2,265	0.6	244,043	0
<i>Walking/Biking</i>				
Alternative Mode of	27,706	6.9	3,243,442	0
Subtotal Transportation	235,181	58.8	27,603,666	0
Waste Sector				
Apple Valley, California				
<i>Landfilling to Composting</i>				
Compost Food Waste	2,315	0.6		0

Apple Valley

Community Greenhouse Gas Emissions Reductions in 2020 Target Year Measures Detailed Report

	Equiv CO ₂ (tons)	Equiv CO ₂ (%)	Energy (therms)	Energy Cost Savings (\$)
<i>Landfilling to Recycling</i>				
Increase Recycling of Paper	27,066	6.8		0
Subtotal Waste	29,381	7.3		0
Total	400,283	100.0	35,163,465	0

TOWN OF APPLE VALLEY
DRAFT CLIMATE ACTION PLAN

Appendix A

CACP Software Reports

Government Reduction Measures 2020

Apple Valley
Government Greenhouse Gas Emissions Reductions in 2020
Target Year Measures Summary

	Equiv CO₂ (tons)	Equiv CO₂ (%)	Energy (therms)
Buildings	508	37.1%	19,767
Vehicle Fleet	209	15.3%	24,075
Employee Commute	222	16.2%	26,792
Streetlights	190	13.9%	-
Water/Sewage	156	11.4%	645
Waste	84	6.1%	
Total	1,369	100.0%	71,279

Apple Valley

Government Greenhouse Gas Emissions Reductions in 2020 Target Year Measures Detailed Report

	Equiv CO ₂ (tons)	Equiv CO ₂ (%)	Energy (therms)	Energy Cost Savings (\$)
Buildings Sector				
Apple Valley, California				
<i>Change in Energy Source</i>				
On Roof and Above Parking	194	2.2	0	0
<i>Energy Efficiency: Buildings</i>				
MO-22 15% Electricity	69	0.8	4,311	0
<i>Energy Efficiency: Equipment and Lighting</i>				
Reduce Natural Gas Use	246	2.7	15,456	0
Subtotal Buildings	508	5.6	19,767	0
Vehicle Fleet Sector				
Apple Valley, California				
<i>Change in Fuel Type</i>				
Replace Diesel with B20	3	0.0	23	0
Replace Gasoline Vehicle to	144	1.6	16,796	0
Replace Gasoline with Fuel	62	0.7	7,256	0
Subtotal Vehicle Fleet	209	2.3	24,075	0
Employee Commute Sector				
Apple Valley, California				
<i>Car/Van Pooling</i>				
Rideshare (CO-5)	14	0.2	1,626	0
<i>Increase in Fuel Efficiency</i>				
Increase Fleet MPG	168	1.9	20,371	0
Signal Synchronization	24	0.3	2,910	0
<i>Switch to Public Transport</i>				
Transit	16	0.2	1,884	0
Subtotal Employee Commute	222	2.5	26,792	0

Apple Valley

Government Greenhouse Gas Emissions Reductions in 2020 Target Year Measures Detailed Report

	Equiv CO ₂ (tons)	Equiv CO ₂ (%)	Energy (therms)	Energy Cost Savings (\$)
Streetlights Sector				
Apple Valley, California				
<i>Use of Solar Electricity</i>				
Municipal Signals and	189	2.1	0	0
Town Streetlights	870	9.6	0	0
Subtotal Streetlights	1,060	11.7	0	0
Water/Sewage Sector				
Apple Valley, California				
<i>Change in Energy Source</i>				
Muni Use of Solar	146	1.6	0	0
Town-wide Use Solar for	6,343	70.3	0	0
<i>Energy Efficiency: Equipment and Lighting</i>				
Muni Upgrade and install	10	0.1	645	0
Town-wide Upgrade and	445	4.9	27,996	0
Subtotal Water/Sewage	6,944	76.9	28,641	0
Waste Sector				
Apple Valley, California				
<i>Landfilling to Composting</i>				
Compost Food Waste	3	0.0		0
<i>Landfilling to Recycling</i>				
Recycle Misc Waste	32	0.4		0
Recycle Paper Waste	47	0.5		0
<i>Landfilling to Reduction</i>				
Reuseable Transport Crates	2	0.0		0
Subtotal Waste	84	0.9		0
Total	9,027	100.0	99,274	0

Appendix B

Statistical Background Data

AV CAP Sources for Data Input:

Community

Households and Population 2005: Department of Finance
Households and Population 2008 and 2020: SanBag Table 3

	2005	2008	Growth Rate	2020
Pop Size	63,754	69,758	8.47%	86,914
Households	22,453	22,866	1.81%	28,440

Energy

Source Title: Electricity Use Report for Town of Apple Valley Year 2005
Prepared By: Southern California Edison.

Natural Gas

Source Title: Southwest Gas Corporation Gas Usage and Customer Count by Customer Category
Provided By: Kurt Edwards, Southwest Gas, March 1, 2010.

Propane

Looked at difference between 2005 Natural Gas customer accounts (22,381 average) and estimated household size of 22,453 per the Department of Finance, and took the difference to estimate total number of households using propane. It is assumed that in 2005 a total of 72 households did not have natural gas and utilized propane.

Solid Waste

Source Title: 2005 Apple Valley Disposal Tonnage Sorted by Site and Account Number
Provided By: Prepared by Diana McKeen, Apple Valley, per the raw data provided by the County Solid Waste Management Division.

Transportation

Source Title: Town of Apple Valley General Plan Circulation Element Traffic Study, Table 2-6: Town of Apple Valley Trip Generation Future Growth (based on 2005 levels), prepared by Urban Crossroads, November 10, 2008

Government

Energy

Source Title: Apple Valley Municipal Accounts

Provided By: Sandy Gabriel, SCE

Natural Gas

Source Title: 2008 Apple Valley Natural Gas Usage

Provided By: Jessica Gaither, Energy Services, Southwest Gas Corporation, May 5, 2009

Solid Waste

Not explicitly broken out. Government specific contribution to Town wide solid waste generation was estimated using a solid waste per person figure of 1.1816 tons and applying it to AV's number of government employees in 2005, roughly 104 employees. For a total contribution of 122.68 tons.

Transportation

Mobile Sources Sector is subdivided into AV Municipal Fleet and the Police Vehicle Fleet. This Sector is not proportionally tied to the Community wide transportation sector.

AV Municipal Fleet

Source Title: Town of Apple Valley Tax Exemption Report, Closing Date 12.24.08

Provided By: Thomas Brown, Accounting Technician

Police Vehicle Fleet

Source Title: Apple Valley Police Department 2008 Vehicle Mileage and Emissions

Provided By: Diana McKeen, Apple Valley

Employee Commute: Assumes that 104 employees travel an estimated 23 miles round trip 240 days a year.

Summary Data from SCE Municipal Accounts for 2005

Streetlight/traffic signal	
	KWH
Streetlight	543,201

Gen Bldg	
	KWH
GS-1	120,586
GS-2	721,420
	842,006

Pumping	
	KWH
PA-1	5,183
PA-2	12,618
AG TOU	280242
	298,043

Natural Gas Usage - 2008
Town of Apple Valley Facilities

	Jan-08	Feb-08	Mar-08	Apr-08	May-08	Jun-08	Jul-08	Aug-08	Sep-08	Oct-08	Nov-08	Dec-08	Totals by Facility
13467 Navajo Rd.	748	705	431	213	98	87	77	67	72	65	119	268	2,950
13413 Navajo Rd	535	424	234	96	5	0	0	0	0	0	70	33	1,397
14999 Dale Evans Pkwy	552	262	236	262	129	92	141	61	79	55	91	159	2,119
14999 Dale Evans (Pool)	12,089	9,604	9,707	9,560	5,898	5,570	1,432	917	1,612	2,042	5,381	6,895	70,707
13643 Tonikan Rd.	965	895	596	500	457	379	47	45	57	48	267	504	4,760
22419 US Hwy 18	92	73	38	7	0	0	0	0	0	0	0	0	210
22411 US Hwy 18	134	157	86	31	8	6	3	4	4	5	7	175	620
21989 US Hwy 18 #2	20	19	18	13	13	12	9	8	8	8	9	16	153
14955 Dale Evans Pkwy	1,420	1,174	769	391	193	85	37	36	36	40	114	326	4,621
14931 Dale Evans Pkwy	310	281	193	70	57	28	18	17	18	22	57	118	1,189
													0
Totals by month	16,865	13,594	12,308	11,143	6,858	6,259	1,764	1,155	1,886	2,285	6,115	8,494	88,726
Total for Year													

Calculation: 88,722 BTU x .000001 x 52.91 kg CO₂e = 4.69 kg CO₂e

Apple Valley 2008 Town Fleet

Year	Make	Model	Vehicle #	Gasoline	Diesel
2006	Chev	Malibu	1016	154.47	
2006	Chev	Uplander	1018	94.15	
1999	Buik	Century	1019	433.61	
1999	Ford	Explorer	1021	83.10	
2007	Chev	Trail	1022	299.06	
2001	Chev	S-10	2004	43.76	
2005	Chev	Colorado	2007	475.12	
2002	GMC	Savana	2030	519.51	
2002	GMC	Sierra	2035	385.35	
2006	Ford	Ranger	2036	535.32	
2006	Ford	Ranger	2037	452.84	
2007	Ford	Ranger	2038	580.60	
2008	Ford	Ranger	2039	376.10	
2008	Chev	Colorado	2040	171.02	
2000	Chev	3500	3023	725.44	
2006	Ford	F250	3025	827.32	
2006	Frghtlnr	M2	3026	291.89	1034.88
2008	Chev	Colorado	3027	338.60	
2008	Ford	F250	3028	1055.76	
2008	Ford	F250	3029	854.35	74.29
2008	Ford	F250	3030	498.60	
2008			3031		916.46
2005	Chev	2500	4013	703.64	
2005	Chev	2500	4025	584.00	
2006	Ford	F350	4026	426.51	
2003	Chev	3500	4034	732.40	
2006	Chev	Silverado	4035	154.62	
2002	GMC	Sierra	4543	769.02	
2005	Chev	Silverado	5002	728.13	
2005	Chev	3500	5004	1732.79	
2003	Chev	Silverado	5006	672.91	
2005	Chev	Silverado	5008	394.48	
2005	Chev	Colorado	5012	557.43	
2005	Chev	3500	5013	554.88	
2005	Chev	Colorado	5014	346.08	
2005	Chev	Silverado	5015	401.32	245.97
2002	GMC	Sonoma	5028	413.43	
2002	GMC	Sonoma	5029	244.44	
2002	GMC	Sierra	5031	1703.81	34.77
2002	GMC	Sierra	5032	491.25	
2002	Chev	Silverado	5033	328.14	

2007	Chev	Silverado	5034	281.01	
2007	Chev	Silverado	5035	471.52	
2007	Chev	Silverado	5036	736.12	272.27
2008	Ford	F250	5037	582.20	71.96
2008	Ford	Ranger	5038	209.70	
				23,416	2,651

Apple Valley Police Department 2008 Vehicle Mileage and Emissions

Vehicle #	Year	Make	Model	Miles	MPG	Fuel Use
4663	1998	CHEVROLET	MALIBU	5,178	23	225
20386	1998	FORD	WINDSTAR	5,454	18	303
5197	2000	CHEVROLET	1500	5885	16	368
4072	2002	FORD	TAURUS	9,177	20	459
5322	2003	FORD	RANGER	19,765	23	859
4148	2005	BUICK	CENTURY	23,846	20	1,192
5170	2005	CHEVROLET	COLORADO	13,400	18	744
4476	2005	FORD	CROWN VICTORIA	2,432	17	143
4040	2005	FORD	TAURUS	12,225	20	611
4322	2005	FORD	TAURUS	25,222	20	1,261
4123	2006	CHEVROLET	MALIBU	17,939	20	897
14508	2006	FORD	CROWN VICTORIA	29,468	17	1,733
14520	2006	FORD	CROWN VICTORIA	30,611	17	1,801
14522	2006	FORD	CROWN VICTORIA	30,106	17	1,771
14524	2006	FORD	CROWN VICTORIA	14,159	17	833
14540	2006	FORD	CROWN VICTORIA	40,358	17	2,374
14545	2006	FORD	CROWN VICTORIA	31,047	17	1,826
14570	2006	FORD	CROWN VICTORIA	28,705	17	1,689
14571	2006	FORD	CROWN VICTORIA	33,430	17	1,966
14572	2006	FORD	CROWN VICTORIA	22,623	17	1,331
14573	2006	FORD	CROWN VICTORIA	28,215	17	1,660
5180	2006	FORD	F-150	11,308	16	707
4048	2006	FORD	TAURUS	18,239	20	912
4065	2006	FORD	TAURUS	25,646	20	1,282
4211	2006	FORD	TAURUS	15,705	20	785
4310	2006	FORD	TAURUS	11,653	20	583
14709	2007	FORD	CROWN VICTORIA	20,410	17	1,201
14736	2007	FORD	CROWN VICTORIA	41,778	17	2,458
14761	2007	FORD	CROWN VICTORIA	25,702	17	1,512
14762	2007	FORD	CROWN VICTORIA	41,813	17	2,460
4465	2007	MERCURY	GRAND MARQUIS	16,998	17	1,000
						(EPA est) (Gallons)
TOTALS						36,945

*Calculations: Fuel usage (gal) x 0.0889 metric tons of CO2 per gallon = total metric tons

LGOP

0.00 0.00000 0.0000

EPA metric tons of CO2 per gallon

0.00
328.4434



Electricity Use Report
For Town of Apple Valley
Year 2005

Prepared by
Southern California Edison

Version 5.0

March 22nd, 2010

I. Introduction

The purpose of this report is to fulfill your request for overall energy consumption data for the Town of Apple Valley. SCE has made every effort to fulfill this request. However, our legal responsibility of maintaining confidentiality of individual customer data limits us to providing only the following information:

- Rate group descriptions
- kWh consumption, and
- kW demand for those rate groups with demand meters (non-coincident and coincident loads); no kW demand data is available for those rate groups that do not have demand metered data

II. Energy and Demand Data Availability

Rate group specific energy consumption data is readily available and included within this report. However, several of our rate schedules such as Schedule “D,” the standard domestic rate, do not require the measurement of demand data. Therefore, coincident demand-related data within this report is only an estimate reflecting those rate groups where demand is measured. Table A summarizes the availability of demand data by rate group:

Table A – Data Availability Table

Rate Groups <i>with</i> Demand Data	Rate Groups <i>without</i> Demand Data
GS-2, AG TOU, TOU-GS-3, and TOU-8	Domestic, GS-1,PA1, TC-1 and Street Lighting

For rate groups ***with*** measured demand data, we have provided:

- Total kWh
- Non-coincident peak demand - this is the sum of the individual accounts’ maximum peak demands, regardless of when they occur
- Coincident peak demand – this is a calculated field based on application of the coincidence factors outlined on page 3, section III
- Number of accounts

For rate groups ***without*** measured demand data, we have provided:

- Total kWh
- Number of accounts

III. Coincidence Factors

Coincidence factor is an indication of how closely the individual customer peaks conform to the time of the rate group peak. Coincidence factor is expressed as a proportion and can never be greater than 1.0. Table B lists coincidence factors based SCE system wide peak demands.

Table C on page 4 contains calculated values of coincident peak demand. To derive these values, the rate class non-coincident peak (Table C) is multiplied by its respective rate class coincidence factor, in Table B, yielding a calculated “Coincident Peak (kW)”. The calculated coincident peaks approximate the maximum peak for each rate class.

Table B - System Coincidence Factors

Rate Group	Coincidence Factor			Rate Group	Coincidence Factor		
	Annual	Summer	Winter		Annual	Summer	Winter
Domestic-Single	0.38	0.42	0.30	GS-1	0.46	0.52	0.41
Domestic-Multiple	0.26	0.32	0.24	TC-1	1.00	1.00	1.00
Domestic- Mstr Mtrd	0.61	0.66	0.56	GS-2	0.71	0.74	0.70
				TOU-GS	0.53	0.54	0.58
Total Domestic	0.34	0.39	0.28	Total Sm and Med	0.61	0.65	0.60

Rate Group	Coincidence Factor			Rate Group	Coincidence Factor		
	Annual	Summer	Winter		Annual	Summer	Winter
PA-1	0.40	0.44	0.34	TOU-8-Secondary	0.76	0.79	0.76
PA-2	0.65	0.70	0.63	TOU-8-Primary	0.70	0.74	0.70
AGTOU	0.62	0.67	0.54	TOU-8-Sub	0.67	0.71	0.68
Tou-PA-5	0.84	0.84	0.86				
Total AG&Pump	0.46	0.50	0.40	Total Large Power	0.70	0.74	0.71

IV. Data Description

The summaries provided in Tables C, are based on 12 months usage data ending December, 2005 for SCE installed service accounts within the city’s boundaries. The accounts included in the dataset were extracted from SCE’s Customer Service System based on the Public Authority Code for the Town of Apple Valley. This code is used to identify accounts by municipality for the purpose of calculating state and local taxes. Public Authority Code is permanently retained as a part of each premise’s identification regardless of occupancy. The only time a Public Authority Code changes is when a city or county annexes a given piece of property into its territory or a particular piece of property is transferred from one public authority to another through other means.

V. Summary of Results (January 1, 2005 – December 31, 2005)

Table C – Total of Account Summary Data for Bundled and Direct Access Customers

RATE GROUP	ANNUAL KWH	% of TOTAL	NONCOINCIDENT PEAK	CALCULATED COINCIDENT PEAK	NUMBER OF ACCOUNTS	% OF TOTAL
AG TOU	13,188,755	4.3%	3,513	2,178	38	0.1%
DOMESTIC	195,613,488	63.1%	-	-	23,316	90.6%
GS-1	13,799,465	4.5%	-	-	1,848	7.2%
GS-2	31,806,238	10.3%	11,471	8,144	263	1.0%
PA-2	3,595,104	1.2%	1,195	776	72	0.3%
STREET LIGHTING	3,905,754	1.3%	-	-	160	0.6%
TOU-8	47,974,549	15.5%	11,687	8,181	24	0.1%

Grand Total	309,883,353
-------------	-------------

25,721

DA % of kWh	7.1%
-------------	------

[Application of 15/15 Rule \(Section VIII. Release of Aggregated Customer Information, p. 6\)](#)

The PA-1 and TOU-PA-5 rate group were combined into the PA-2 rate group.

VI. Additional Data Availability

The data listed in Tables C are at a summary level, and are not displayed by time-of-use. For your convenience we have attached time-of-use load profiles (Appendix A) for each rate class. In the event that you would like the detailed data that supports these load profiles (annual hourly load data for each rate class average profile), you can find it on SCE's website at the following address:

<http://www.sce.com/AboutSCE/Regulatory/loadprofiles/>

Additionally, revenue impacts are often part of an overall economic analysis related to energy consumption. In the event that you would like specific rate schedules, you can find them at the following web address:

<http://www.sce.com/AboutSCE/Regulatory/tariffbooks/ratespricing/>

VII. Public Goods Charge Energy Efficiency Funds

SCE estimated the Town of Apple Valley's proportional share of Public Goods Charge (PGG) funded energy efficiency activities that the California Public Utilities Commission might make available to the customers in the Town of Apple Valley if it became a community choice aggregator ("CCA") but did not implement energy efficiency programs in the CCA territory. SCE performed the estimated proportional share calculation in accordance with the directives of Decision (D.) 03-07-034 of the California Public Utilities Commission, and determined that the Town of Apple Valley's estimated proportional share is \$ 466,243. Please note that the estimated proportional share calculation does not necessarily represent an amount of funds that would be made available for energy efficiency programs in the Town of Apple Valley's territory should the Town of Apple Valley become a CCA. As stated in D.03-07-034, the proportional share calculation is only used to estimate non-CCA expenditures in a CCA's territory. Also note that the proportional share estimate is not equal to the amount of PGC funds collected from ratepayers in the Town of Apple Valley, since the PGC rate includes authorized amounts for energy efficiency as well as other public interest programs.

VIII. Release of Aggregated Customer Information¹

The 15/15 Rule is intended to protect customer confidentiality by reducing the possibility of identifying customers through the release of usage information. SCE will apply the 15/15 Rule in releasing aggregated customer information. The rule was initially implemented by the California Public Utilities Commission during Direct Access proceedings in 1997 and was adopted through D. 97-10-031.

The 15/15 rule requires that any aggregated information provided by the Utilities must be made up of at least 15 customers, and a customer's load must be less than 15% of an assigned category. If the number of customers in the compiled data is below 15, or if a single customer's load is more than 15% of the total data, categories (e.g., rate classes) must be combined before the information is released. The rule further requires that if the 15/15 rule is triggered for a second tie after the data has been screened once already using the 15/15 rule, then the customer is dropped from the information provided.


IX. Disclaimer

Southern California Edison Company has provided the above information at your request. The data presented here represents 12 months ending December, 2005. These estimates are provided for informational purposes only, and are not intended to, nor do they, predict what energy usage and loads within your city boundaries will be in the future. The actual future loads and energy consumption will vary from these estimates for a variety of reasons, including changes in energy usage, demand levels, and weather patterns. Southern California Edison Company assumes no liability for the use of the information provided above. If you have any questions regarding this information, please contact your Southern California Edison Company Account Representative.


Appendix A

Rate Class Average Load Profiles


Rate Class Average Load Profiles
Domestic Rate Group
2005




Rate Class Average Load Profiles
GS-1 Rate Group
2005




Rate Class Average Load Profiles
GS-2 Rate Group
2005




Rate Class Average Load Profiles
TOU-GS Rate Group
2005




Rate Class Average Load Profiles
PA-1 Rate Group
2005




Rate Class Average Load Profiles
PA-2 Rate Group
2005




Rate Class Average Load Profiles
TOU-PA-5 Rate Group
2005




Rate Class Average Load Profiles
AG-TOU Rate Group
2005




Rate Class Average Load Profiles
TOU-8-Primary Rate Group
2005




Rate Class Average Load Profiles
TOU-8-Secondary Rate Group
2005




Rate Class Average Load Profiles
TOU-8-Subtransmission
2005



Rate Class Average Load Profiles
Street Lighting Rate Group
2005



Rate Class Average Load Profiles
TC-1 Rate Group
2005



Appendix B

Description of Rate Groups

Domestic (Domestic Service)

For all residential service including lighting, heating, cooking, and power or combination thereof in a single-family accommodation; also to domestic farm service when supplied through the farm operator's domestic meter.

GS-1 (General Service Non-Demand)

Includes single- and three-phase general service including lighting and power, except that the customer whose monthly maximum demand, in the opinion of SCE, is expected to exceed 20 kW or has exceeded 20 kW in any three months during the preceding 12 months.

GS-2 (General Service - Demand)

As of August 2006, includes single- and three-phase general service including lighting and power customers whose monthly maximum demand registers, or in the opinion of SCE is expected to register, above 20 kW and below 200 kW. In 2005, this rate group included customers with monthly maximum demands above 20 kW through 500 kW.

TOU-GS-3 (Time-Of-Use - General Service - Demand Metered)

As of August 2006, includes single- and three-phase general service including lighting and power customers whose monthly maximum demand registers, or in the opinion of SCE is expected to register, above 200 kW through 500 kW. This rate group did not exist in 2005 and these customers were included in the GS-2 rate group.

TOU-8 (Time-Of-Use - General Service – Large)

Includes general service, lighting and power, except agricultural water pumping accounts. This Schedule is mandatory for all customers whose monthly maximum demand, in the opinion of SCE, is expected to exceed 500 kW or has exceeded 500 kW in any three months during the preceding 12 months.

PA-1 (Power - Agricultural and Pumping Connected Load Basis)

Includes accounts where SCE determines that 70% or more of the customer's electrical usage is for general agricultural purposes or for general water or sewerage pumping and none of any remaining electrical usage is for purposes for which a domestic schedule is applicable.

PA-2 (Power - Agricultural and Pumping Demand Metered)

Includes accounts where SCE determines that 70% or more of the customer's electrical usage is for general agricultural purposes or for general water or sewerage pumping and

none of any remaining electrical usage is for purposes for which a domestic schedule is applicable. The Customer whose monthly Maximum Demand, in the opinion of SCE, is expected to, or has reached, 200 kW or above in any three months during the preceding 12 months shall have a Real Time Energy Meter (RTEM) or other type of interval meter installed and shall become ineligible for service under this Schedule. Upon such ineligibility a customer whose Maximum Demand is 500 kW or below shall be transferred to an applicable agricultural Time-of Use (TOU) rate schedule, while a customer whose Maximum Demand exceeds 500 kW will be transferred to Schedule TOU-8. However, in accordance with Schedule TOU-8, a large individual water agency or other large water pumping account with 70% or more of the water pumped used for agricultural purposes, must take service on a TOU agricultural class rate schedule.

TOU-PA-5 (Time-Of-Use Agricultural and Pumping - Demand Metered)

Includes accounts where SCE determines that: 70% or more of the customer's electrical usage is for general agricultural purposes or for general water or sewerage pumping or for oil pumping by customers with a Standard Industrial Classification (SIC) Code of 1311; none of any remaining electrical usage is for purposes for which a domestic schedule is applicable; and, the customer's account has 35 horsepower or more of total connected load or 35 kilowatts or more of Maximum Demand

AG TOU (Time-Of-Use Agricultural and Pumping - Demand Metered)

Includes accounts where SCE determines that: 70% or more of the customer's electrical usage is for water pumping used for agricultural purposes, except where the customer's monthly Maximum Demand, is expected to exceed 500 kW or has exceeded 500 kW for any three months during the preceding 12 months. These accounts are time-of-use agricultural and pumping accounts that do not qualify for the TOU-PA-5 tariff.

TC-1 (Traffic Control Service)

Includes single- and three-phase service: for traffic directional signs or traffic signal systems located on streets, highways and other public thoroughfares and to railway crossing and track signals; for public thoroughfare lighting that is utilized 24 hours per day or is not controlled by switching equipment, such as tunnel or underpass lighting; and, to public authorities for the illumination of bus stop shelters located in the dedicated road right-of-way where such service is combined with other traffic control service as defined above.

STREET LIGHTING (Lighting - Street and Highway Company-Owned System)

Includes service for the lighting of streets, highways, and publicly-owned and publicly-operated automobile parking lots which are open to the general public where SCE owns and maintains the street lighting equipment and associated facilities included under this schedule.

SOUTHWEST GAS CORPORATION
GAS USAGE AND CUSTOMER COUNT
BY CUSTOMER CATEGORY

Apple Valley - 2005

JANUARY - MARCH 2005

<u>City Code</u>	<u>Customer Category</u>	<u>QTD Therms</u>	<u>QTD Customers *</u>
121	COMMERCIAL GAS ENGINE	1,587	3
121	INDUSTRIAL	9,066	3
121	LARGE COMMERCIAL GENERAL	97,261	12
121	RESIDENTIAL A/C	547	3
121	RESIDENTIAL GAS SALES	5,423,370	21,970
121	RESIDENTIAL HEAT	37,544	148
121	SMALL COMMERCIAL A/C	1,290	1
121	SMALL COMMERCIAL GENERAL	460,196	592
121	SMALL COMMERCIAL HEAT	105,642	391
	GTS TRANSPORTERS	88,190	1
FIRST QUARTER 2005 TOTALS		6,224,693	23,124

APRIL - JUNE 2005

<u>City Code</u>	<u>Customer Category</u>	<u>QTD Therms</u>	<u>QTD Customers *</u>
121	COMMERCIAL GAS ENGINE	1,233	3
121	INDUSTRIAL	5,563	3
121	LARGE COMMERCIAL GENERAL	47,085	12
121	RESIDENTIAL A/C	282	3
121	RESIDENTIAL GAS SALES	2,464,909	22,309
121	RESIDENTIAL HEAT	13,873	146
121	SMALL COMMERCIAL A/C	283	1
121	SMALL COMMERCIAL GENERAL	257,862	598
121	SMALL COMMERCIAL HEAT	31,467	381
	GTS TRANSPORTERS	81,690	1
SECOND QUARTER 2005 TOTALS		2,904,247	23,457

JULY - SEPTEMBER 2005

<u>City Code</u>	<u>Customer Category</u>	<u>QTD Therms</u>	<u>QTD Customers *</u>
121	COMMERCIAL GAS ENGINE	18,704	3
121	INDUSTRIAL	4,076	3
121	LARGE COMMERCIAL GENERAL	20,590	10
121	RESIDENTIAL A/C	244	3
121	RESIDENTIAL GAS SALES	1,157,054	22,497
121	RESIDENTIAL HEAT	3,417	138
121	SMALL COMMERCIAL A/C	20	1
121	SMALL COMMERCIAL GENERAL	163,339	596
121	SMALL COMMERCIAL HEAT	8,931	368
	GTS TRANSPORTERS	65,280	1
THIRD QUARTER 2005 TOTALS		1,441,655	23,620

OCTOBER - DECEMBER 2005

<u>City Code</u>	<u>Customer Category</u>	<u>QTD Therms</u>	<u>QTD Customers *</u>
121	COMMERCIAL GAS ENGINE	2,395	3
121	INDUSTRIAL	6,032	3
121	LARGE COMMERCIAL GENERAL	49,861	11
121	RESIDENTIAL A/C	253	3
121	RESIDENTIAL GAS SALES	2,461,431	22,748
121	RESIDENTIAL HEAT	13,600	138
121	SMALL COMMERCIAL A/C	425	1
121	SMALL COMMERCIAL GENERAL	267,529	603
121	SMALL COMMERCIAL HEAT	39,278	374
	GTS TRANSPORTERS	99,650	1
FOURTH QUARTER 2005 TOTALS		2,940,454	23,885

* Average of number of customer meter reads

** Amounts from actuals reads

Source documents:

CSS Data: CSCA35B-01 YTD G/L Interface Summary Revenue & Tax Report by Category

GTS Data: Summarized JE912 Actual Data

2005 Vehicle Trips and Estimated Total Miles Traveled

Trip Type	Total Vehicle Trips/Day	Average Trip Length (miles)	Total Miles/Day
Home-Work	61,159	11.5	703,329
Home-Other	162,848	6.02	980,345
Work-Other	15,589	9.07	141,392
Other-Other	53,556	5.66	303,127
Total	293,152		2,128,193
Miles Traveled Per Year			776,790,317.25

Total miles traveled per day are based on the 2-way trip estimates as set forth in the "Town of Apple Valley General Plan Circulation Element Traffic Study," Table 2-6: Town of Apple Valley Trip Generation Future Growth, prepared by Urban Crossroads, November 10, 2008
Average Trip Length assumes URBEMIS2007 Version 9.2 default setting for Southern California.

2005 Apple Valley Disposal Tonnage Sorted by Site and Account Number

Account No./Site	Customer Name	1st qtr Tons	2nd qtr Tons	3rd qtr Tons	4th qtr Tons	Account Total
<u>Victorville Landfill</u>						
2	Caltrans		11.46	0.76		12.22
29	San Bernardino County				0.24	0.24
96	American Concrete Cutting	21.3				21.3
97	Vance Corporation			16.62		
104	Arizona Pipeline				14.08	14.08
146	Slater, Inc.	3.06		10.41	5.48	18.95
164	Intravaia Rock & Sand		10.91			
247	Inland Acounstics, Inc.	0.48				0.48
276	W. B. Construction Co.					0
299	Bell Roof Company			2.63		2.63
377	All-n-One Maintenance			0.33		0.33
387	Honeycutt Tear Off	24.45	54.11	29.97	7.89	116.42
409	BEC Inc.					0
600	Yeager E. L. Construction					0
613	Matich Corporation		0.8			0.8
883	Heaps Peak Transfer	8.19		18.4	26.62	53.21
914	EMF Town of Apple Valley	36.93	37.99	28.6	44.84	148.36
991	AV Fire Protection Dist.		0.11			0.11
993	EMF 1st Dist Supervisor					0
1025	Victorville Disposal Inc.	587.66	927.96	987.47	550.19	3,053.28
1044	Caltrans Dist. 8			1.1		1.1
1046	Town of Apple Valley	10,655.51	12,622.27	12,601.67	11,927.89	47,807.34
1049	Cooley Construction		2.13	4,489.60	714.57	5206.3
1055	Deserada Inc.	37.34	147.04	48.04	148.21	380.63
1068	Yeghoian, Robert R. Co.	312.24		9.38		321.62
1071	AV Parks & Recreation				1.42	1.42
1079	Apple Valley Airport	2.63				2.63
1082	Hi Desert Construction	2.25				2.25
1095	Atlas Construction	77.57	101.24	84.74	90.13	353.68
1100	Conco Construction	24.31	14.28	20.89	3.55	63.03

1118	Faherty, J.W., Inc.	24.83	0.91			25.74
Account No.	Customer Name	1st qtr Tons	2nd qtr Tons	3rd qtr Tons	4th qtr Tons	Account Total
1120	Cutting Edge Concrete Svcs					0
1125	Valley Landscaping	0.66		1.78		2.44
1129	County Housing Authority				0.39	0.39
1137	EMF - Code Enforcement	1.57				1.57
1138	AV Ranchos Water	3.49	30.63	3.2	54	91.32
1145	Barstow Transfer/Storage			1.39	2.79	4.18
1186	AV U.S.D.	55.26	8.79	9.95	12.43	86.43
1197	Free Dumping Desert		110.5		86.72	197.22
1207	Mojave Water Agency	0.85		1.22		2.07
1212	Barr Lumber Co., Inc.	21.22	9.19		18.54	48.95
1216	Westech Industries	1.51	1.56			3.07
1232	Burrtec Recycling/Transfer	1,196.22	1,365.78	1,094.51	319.25	3,975.76
1245	A-CECO Equipment Co.	0.77				0.77
1247	Honest John's Septic Svcs			0.38	37.90	
1255	Ralph Rocca Construction	78.63	97.22	84.55	59.98	320.38
1291	BF-Toppers					0.00
1306	Cliff Peters, Inc.	25.33	3.17			28.50
1334	Oak Tree Homes, Inc.				3.6	
1345	Village Concepts			23.27	30.9	
CASH	Cash Customers	3,665.83	3,925.25	4,037.54	4,319.93	15,948.55
	Phelan Transfer		9.83			9.83
**	Landfill salvage (recycling)	(573.35)	(836.35)	(1,074.10)	(1,490.88)	(3,974.68)
	Landfill Total	16,296.74	18,656.78	22,534.30	16,990.66	74,354.90
	Franchised Hauling	11,851.73	13,988.05	13,696.18	12,247.14	51,783.10
	Self-Haul	4,445.01	4,668.73	8,838.12	4,743.52	22,571.80
<u>Mid-Valley Landfill</u>						
323	West Valley MRF			60.65	524.54	585.19
1312	Agua Mansa MRF				22.55	22.55
CASH	Cash Customers		4.63	0.43	8.75	13.81
	Landfill Total		4.63	61.08	555.84	607.74

Account No.	Customer Name	1st qtr Tons	2nd qtr Tons	3rd qtr Tons	4th qtr Tons	Account Total
<u>Barstow Landfill</u>						
CASH	Cash Customers	122.76	148.37	115.87	122.23	509.23
1090	Jim's Ott's Pots	0.23	0.23			0.46
1197	Free Dumping Desert					0.75
	Landfill Total	122.76	148.6	115.87	122.23	509.69
<u>Landers Landfill</u>						
CASH	Cash Customers	1.00		7.08		8.08
	Landfill Total	1.00		7.08		
<u>San Timoteo</u>						
CASH	Cash Customers		0.44	0.47		
	TOTAL	16,420.50	18,810.45	22,718.80	17,668.73	75,618.48
	Franchised hauling	12,476.32	14,954.00	14,712.25	12,842.17	54,984.74
	Other	3,944.18			27.29%	20,633.74
	County corrections 5/10/06	Landers decrease	-8.12	Victorville increase	1.46	